Level II and Level III Transactions

Supplement to the Credit Card Services User Guide

April 2018



CyberSource Contact Information

For technical support questions, go to the Home page in the Business Center to see the contact information appropriate for your account.

Visit the Business Center, your central location for managing your online payment transactions, at https://businesscenter.cybersource.com.

For general information about our company, products, and services, go to http://www.cybersource.com.

For sales questions about any CyberSource Service, email sales@cybersource.com or call 650-432-7350 or 888-330-2300 (toll free in the United States).

Copyright

© 2018 CyberSource Corporation. All rights reserved. CyberSource Corporation ("CyberSource") furnishes this document and the software described in this document under the applicable agreement between the reader of this document ("You") and CyberSource ("Agreement"). You may use this document and/or software only in accordance with the terms of the Agreement. Except as expressly set forth in the Agreement, the information contained in this document is subject to change without notice and therefore should not be interpreted in any way as a guarantee or warranty by CyberSource. CyberSource assumes no responsibility or liability for any errors that may appear in this document. The copyrighted software that accompanies this document is licensed to You for use only in strict accordance with the Agreement. You should read the Agreement carefully before using the software. Except as permitted by the Agreement, You may not reproduce any part of this document, store this document in a retrieval system, or transmit this document, in any form or by any means, electronic, mechanical, recording, or otherwise, without the prior written consent of CyberSource.

Restricted Rights Legends

For Government or defense agencies. Use, duplication, or disclosure by the Government or defense agencies is subject to restrictions as set forth the Rights in Technical Data and Computer Software clause at DFARS 252.227-7013 and in similar clauses in the FAR and NASA FAR Supplement.

For civilian agencies. Use, reproduction, or disclosure is subject to restrictions set forth in subparagraphs (a) through (d) of the Commercial Computer Software Restricted Rights clause at 52.227-19 and the limitations set forth in CyberSource Corporation's standard commercial agreement for this software. Unpublished rights reserved under the copyright laws of the United States.

Trademarks

Authorize.Net, eCheck.Net, and The Power of Payment are registered trademarks of CyberSource Corporation.

CyberSource, CyberSource Payment Manager, CyberSource Risk Manager, CyberSource Decision Manager, and CyberSource Connect are trademarks and/or service marks of CyberSource Corporation.

All other brands and product names are trademarks or registered trademarks of their respective owners.

Contents

| Recent Revisions to This Document 6 |
|--|
| About This Guide 7 |
| Audience and Purpose 7 |
| Conventions 7 |
| Related Documentation 8 |
| Customer Support 8 |
| Introduction to Level II and Level III Processing 9 |
| Prerequisites for Level II Processing 9 |
| Prerequisites for Level III Processing 10 |
| Supported Processors and Card Types 10 |
| About Level II Data 11 |
| About Level III Data 11 |
| CyberSource Level II and Level III Data Processing 12 |
| Relaxed Requirements for Address Data and Expiration Date 12 |
| Using Decimals and Strings 13 |
| Numbered Elements 14 |
| Requesting Captures and Credits with Level II Data 15 |
| Requesting Captures and Credits with Level III Data 16 |
| Chase Paymentech Solutions: Level II and Level III 19 |
| Transaction Requirements 19 |
| Interchange Rates 19 |
| Data Types 19 |
| Processor Specification 20 |
| Order-Level Fields 20 |
| Item-Level Fields 25 |
| Examples 29 |
| |

Chapter 3 FDC Compass: Level II and Level III 31

Transaction Requirements 31

Interchange Rates 31

Data Types 31

Processor Specification 31

Order-Level Fields 32

Item-Level Fields 36

Examples 39

Chapter 4 FDC Nashville Global: Level II and Level III 41

Transaction Requirements 41

Interchange Rates 41

Data Types 41

Processor Specification 42

Order-Level Fields 42

Item-Level Fields 49

Chapter 5 FDMS Nashville: Level II 54

Transaction Requirements 54

Interchange Rates 54

Data Types 54

Order-Level Fields 55

Item-Level Fields 56

Chapter 6 FDMS South: Level II 57

Transaction Requirements 57

Interchange Rates 57

Data Types 57

Order-Level Fields 58

Item-Level Fields 60

Chapter 7 GPN: Level II and Level III 61

Transaction Requirements 61

Interchange Rates 61

Data Types 61

Processor Specification 61

Order-Level Fields 62

Item-Level Fields 65

Chapter 8 RBS WorldPay Atlanta: Level II and Level III 69

Transaction Requirements 69

Interchange Rates 69

Data Types 69

Processor Specification 70

Order-Level Fields 70

Item-Level Fields 75

Examples 79

Chapter 9 TSYS Acquiring Solutions: Level II and Level III 81

Transaction Requirements 81

Interchange Rates 81

Data Types 81

Processor Specification 82

Order-Level Fields 82

Item-Level Fields 88

Examples 92

Appendix A Codes for Units of Measurement 94

Appendix B Product Codes 101

Recent Revisions to This Document

| Release | Changes |
|----------------|---|
| April 2018 | GPN: updated the descriptions for the following fields, which are listed in "Order-Level Fields," page 62 and "Item-Level Fields," page 65. • invoiceHeader_summaryCommodityCode • purchaseTotals_discountAmount fields • item_#_discountAmount |
| December 2017 | This revision contains only editorial changes and no technical updates. |
| August 2017 | Moved the relaxed requirements information to a web page: Relaxed Requirements for Address Data and Expiration Date page. |
| January 2017 | All processors: added "Numbered Elements," page 14. |
| September 2016 | All processors: updated the terminology in step 5 of "Requesting Captures and Credits with Level III Data," page 16. The step had previously referred to captures but it was updated to refer to credits. |
| | All processors: updated description for item_#_productCode field to specify when the field is required. |
| | All processors that support Level III transactions: updated description for item_#_unitPrice field to specify that the value cannot be zero (0) for a Level III transaction. |
| | FDC Compass: updated requirements for item_#_commodityCode . See "Item-Level Fields," page 36. |
| | GPN: Updated Level III requirements for the following item-level fields: item_#_commodityCode, item_#_discountAmount, item_#_discountRate, item_#_productCode, item_#_quantity, item_#_unitOfMeasure, item_#_unitPrice. See "Item-Level Fields," page 65. |
| March 2016 | Chase Paymentech Solutions, FDC Compass, FDC Nashville Global, FDMS South, and GPN: added support for relaxed requirements for address data and expiration dates. See "Relaxed Requirements for Address Data and Expiration Date," page 12. |

About This Guide

Audience and Purpose

This guide is written for application developers who want to use the CyberSource Simple Order API to integrate credit card processing with Level II or Level III data into their order management system.

Implementing the CyberSource credit card services requires software development skills. You must write code that uses the API request and reply fields to integrate the credit card services with Level II or Level III data into your existing order management system.

Conventions

The following special statements are used in this document:



A *Note* contains helpful suggestions or references to material not contained in this document.



An *Important* statement contains information essential to successfully completing a task or learning a concept.

The following text conventions are used in this document:

| Convention | Meaning |
|------------|---|
| bold | Field and service names in text; for example: |
| | Include the ccCaptureService_run field. |
| italic | Titles of documents |

| Convention | Meaning |
|-------------|---|
| screen text | XML elements |
| | Code examples |
| | Values for API fields; for example: |
| | Set the ccCaptureService_run field to true. |

Related Documentation

■ The Credit Card Services User Guide (PDF | HTML) describes how to integrate CyberSource payment processing services into your business.

Refer to the Support Center for complete CyberSource technical documentation:

http://www.cybersource.com/support_center/support_documentation

Customer Support

For support information about any CyberSource service, visit the Support Center:

http://www.cybersource.com/support

Introduction to Level II and Level III Processing

This supplement to the *Credit Card Services User Guide* describes:

- Level II processing for American Express, Visa, and Mastercard
- Level III processing for Visa and Mastercard

After this introductory chapter, there is a chapter for each processor that supports Level II or Level III.



This document provides guidelines that indicate which fields are needed in order to obtain the best interchange rates. These guidelines are based on industry information. CyberSource recommends that you contact your acquirer for the most current information because the payment card companies can change their requirements at any time.

Prerequisites for Level II Processing

To activate Level II processing for American Express, contact American Express and CyberSource Customer Support.

On OmniPay Direct, when you are ready to go live with Level II processing, contact CyberSource Customer Support to have your account configured to process Level II data. If your account is not enabled, and you try to send Level II transactions on OmniPay Direct, you will receive an error for invalid data.

Prerequisites for Level III Processing

Check with your processor to determine whether you need to add Level III processing to your contract or account setup.

When you are ready to go live with Level III processing, contact CyberSource Customer Support to have your account configured to process Level III data. If your account is not enabled, and you try to send Level III transactions, you will receive an error for invalid data.

Supported Processors and Card Types

Table 1 Supported Processors and Card Types

| Processor | Level II Card Types Supported | Level III Card Types Supported |
|----------------------------|----------------------------------|-----------------------------------|
| Chase Paymentech Solutions | Visa | Visa |
| | Mastercard | Mastercard |
| | American Express | |
| FDC Compass | Visa | Visa |
| | Mastercard | Mastercard |
| | American Express | |
| FDC Nashville Global | Visa | Visa |
| | Mastercard | Mastercard |
| | American Express | |
| FDMS Nashville | Visa | None |
| | Mastercard | |
| FDMS South | Visa | None |
| | Mastercard | |
| GPN | Visa | Visa |
| | Mastercard | Mastercard |
| RBS WorldPay Atlanta | Visa | Visa |
| | Mastercard | Mastercard |
| TSYS Acquiring Solutions | Visa | Visa |
| | Mastercard | Mastercard |

About Level II Data

Level II cards, which are also called *Type II cards*, provide customers with additional information on their credit card statements about their purchases. Level II cards enable customers to easily track the amount of sales tax they pay and to reconcile transactions with a unique customer code. There are two categories of Level II cards:

- Business/corporate cards are given by businesses to employees for business-related expenses such as travel and entertainment or for corporate supplies and services.
- Purchase/procurement cards are used by businesses for expenses such as supplies and services. These cards are often used as replacements for purchase orders.

Each processor supports a different set of Level II fields. If your business is not in the United States, you must use additional fields.

About Level III Data

You can provide Level III data for purchase/procurement cards, which are used by businesses for expenses such as supplies and services. These cards are often used as replacements for purchase orders. The Level III data is forwarded to the company that made the purchase, and it enables the company to manage its purchasing activities.

CyberSource Level II and Level III Data Processing

CyberSource does not store the Level II and Level III data. Instead, it functions as a passthrough service for the data. If you request multiple partial captures or credits for an order, you must include the Level II and Level III data in each request.

CyberSource enforces only a minimal level of field validation to avoid interfering with the business policies between you and the companies that purchase your goods and services.



CyberSource temporarily disables your account's Level III processing capability and contacts you if your Level III transactions produce batching errors when the information is sent to your processor. When this happens, your request is not rejected, but the reply message from CyberSource includes a field indicating that the Level III information was ignored and was not sent to the processor.

- For captures, the reply field is ccCaptureReply_ purchasingLevel3Enabled.
- For credits, the reply field is ccCreditReply_purchasingLevel3Enabled.

The possible values for the reply fields are:

- Y: the Level III data was included in the request to the processor.
- N: the Level III data was not included in the request to the processor.

Relaxed Requirements for Address Data and Expiration Date

To enable relaxed requirements for address data and expiration date, contact CyberSource Customer Support to have your account configured for this feature. For details about relaxed requirements, see Relaxed Requirements for Address Data and Expiration Date page.

Using Decimals and Strings

CyberSource uses decimal points in all amount and tax rate fields; CyberSource does not use implied decimal points. For example, if the amount of the product being purchased is 29.95, set that field to 29.95.

For tax rates used with Level III transactions, you need to include a decimal point in the value. For example, if a tax rate is 1%, you should set that field to 0.01.

For many of the fields described in this document, Visa and Mastercard permit different lengths for alphanumeric (string) input. CyberSource accepts any length you provide. If the value you provide is longer than the payment card company permits, CyberSource truncates the value, keeping the left-most portion of the value. If the value you provide is shorter than the payment card company requires, CyberSource pads the field before sending it to the processor.

Numbered Elements

The CyberSource XML schema includes several numbered elements. You can include these complex elements more than once in a request. For example, if a customer order includes more than one item, you must include multiple <item> elements in your request. Each item is numbered, starting with 0. The XML schema uses an id attribute in the item's opening tag to indicate the number. For example:

<item id="0">

For the name-value pair field names, this tag is represented as **item_0**. In this portion of the field name, the underscore before the number does not indicate hierarchy in the XML schema. The item fields are generically referred to as **item_#_<element name>** in the documentation.

Below is an example of the numbered <item> element and the corresponding name-value pair field names. If you are using SOAP, the client contains a corresponding Item class.

Example 1 Numbered XML Schema Element Names and Name-Value Pair Field Names

| XML Schema Element Names | Corresponding Name-Value Pair Field Names |
|--|---|
| <pre><item id="0"> <unitprice> <quantity> </quantity></unitprice></item></pre> | item_0_unitPrice item_0_quantity |
| <pre><item id="1"> <unitprice> <quantity> </quantity></unitprice></item></pre> | item_1_unitPrice item_1_quantity |



When a request is in XML format and includes an <item> element, the element must include an id attribute. For example: <item id="0">.

Requesting Captures and Credits with Level II Data

To include Level II data in a capture or credit request:

- **Step 1** Authorize a credit card payment.
- **Step 2** Capture the authorization.

Include the following information in the capture request:

 Level II data: see the chapter in this document for the processor you are using. Also see "Using Decimals and Strings," page 13.



If you omit required Level II fields from a request, the transaction does not result in an error. Instead, it is processed as a regular non-Level II transaction. However, your processor could charge you penalties or increase your fees. Contact your processor to ensure you understand your processor's specific requirements for Level II transactions.

Basic fields required for every capture request.

For more information, see the *Credit Card Services User Guide*.

Step 3 If necessary, credit the payment.

Include the following information in the credit request:

■ Level II data: see the chapter in this document for the processor you are using. Also see "Using Decimals and Strings," page 13.



If you omit required Level II fields from a request, the transaction does not result in an error. Instead, it is processed as a regular non-Level II transaction. However, your processor could charge you penalties or increase your fees. Contact your processor to ensure you understand your processor's specific requirements for Level II transactions.



OmniPay Direct does not require Level II data for credits. When you include Level II data in a credit request for OmniPay Direct, CyberSource does not pass the Level II data to OmniPay Direct.



RBS WorldPay Atlanta does not require Level II data for credits.

Basic fields required for every credit request.

For more information, see the Credit Card Services User Guide.

Requesting Captures and Credits with Level III Data

To include Level III data in a capture or credit request:

Step 1 Authorize a credit card payment.

CyberSource recommends that for Level III transactions you include the total order amount in the authorization request, even though it is not required. Doing so ensures that CyberSource uses your total order amount and that the capture or credit request total amount matches the original authorization total amount. The field to use in the authorization request is purchaseTotals_grandTotalAmount.

Step 2 Capture the authorization.

Include the following information in the capture request:

- Level II and Level III data: see the chapter in this document for the processor you are using. Also see "Using Decimals and Strings," page 13.
- Purchasing level field: the field name is **ccCaptureService_purchasingLevel**. Set this field to 3 to indicate that the request includes Level III data.
- Basic fields required for every capture request.

For more information, see the Credit Card Services User Guide.

Step 3 For all processors except CyberSource through VisaNet, check the capture reply message.

The reply message includes a field that indicates whether CyberSource sent the Level III information to the processor. The field name is **ccCaptureReply_ purchasingLevel3Enabled**. The possible values are:

- Y: the account is enabled for Level III transactions. The Level III data was included in the request to the processor.
- N: the account is not enabled for Level III transactions. The Level III data was not included in the request to the processor.

If your account is not enabled for Level III data or if you did not include the purchasing level field in your request, CyberSource does not include the Level III data in the request sent to the processor.

Step 4 If necessary, credit the payment.

Include the following information in the credit request:

■ Level II and Level III data: see the chapter in this document for the processor you are using. Also see "Using Decimals and Strings," page 13.



OmniPay Direct does not require Level III data for credits. When you include Level III data in a credit request for OmniPay Direct, CyberSource does not pass the Level II data to OmniPay Direct.



RBS WorldPay Atlanta does not require Level II data for credits.

- Purchasing level field: the field name is ccCreditService_purchasingLevel Set this field to 3 to indicate that the request includes Level III data.
- Basic fields required for every credit request.

For more information, see the *Credit Card Services User Guide*.

Step 5 For all processors except CyberSource through VisaNet, check the credit reply message.

The reply message includes a field that indicates whether CyberSource sent the Level III information to the processor. The field name is **ccCreditReply_ purchasingLevel3Enabled**. The possible values are:

- Y: the account is enabled for Level III transactions. The Level III data was included in the request to the processor.
- N: the account is not enabled for Level III transactions. The Level III data was not included in the request to the processor.

If your account is not enabled for Level III data or if you did not include the purchasing level field in your request, CyberSource does not include the Level III data in the request sent to the processor.

Chase Paymentech Solutions: Level II and Level III

Transaction Requirements



When you send a capture or credit request with Level II or Level III data or both, you must include the required fields for every capture or credit request. For information about the non-Level-II and non-Level-III fields required for capture and credit requests, see the *Credit Card Services User Guide*.

Interchange Rates



This document provides guidelines that indicate which fields are needed in order to obtain the best interchange rates. These guidelines are based on industry information. CyberSource recommends that you contact your acquirer for the most current information because the payment card companies can change their requirements at any time.

Data Types

Fields for amounts and tax rates use a string data type. However, you should include only numbers and a decimal point in those fields.

Processor Specification

The specifications that CyberSource used to implement Level III processing for Chase Paymentech Solutions are:

- Paymentech's 120-Byte Technical Specification, Rev 2.0.0, December 8, 2003
- Paymentech's 96-Byte and 120-Byte Batch Technical Specification Addendum, Rev. 2.0.0, April 1, 2004

The records referenced are:

- Procurement Level 3 Visa: Order Level Record, Record #1, Record #2
- Procurement Level 3 Mastercard: Order Level Record, Record #1, Record #2

Order-Level Fields

Table 2 Order-Level Fields for Chase Paymentech Solutions

| CyberSource Field Name | Chase Paymentech Solutions Field Name | Description | Used By: Required (R) or Optional (O) | Data Type & Length |
|---------------------------|---|---|---|-----------------------|
| ccCaptureService_ | No | Flag that indicates the capture request | Level III | String (1) |
| purchasingLevel | corresponding Chase Paymentech Solutions field | includes Level III data. Set the value for this field to 3. For more information, see "Requesting Captures and Credits with Level III Data," page 16. | Visa (R for captures; not used for credits) | |
| | | | Mastercard (R for captures; not used for credits) | |
| ccCreditService_ | No | Flag that indicates the credit request | Level III | String (1) |
| purchasingLevel | corresponding Chase Paymentech Solutions field | this field to 3. For more information, see "Requesting Captures and Credits with | Visa (R for credits; not used for captures) | |
| | COMMOND HOM | Lover in Bata, page 10. | Mastercard (R for credits; not used for captures) | |

Table 2 Order-Level Fields for Chase Paymentech Solutions (Continued)

| CyberSource Field Name | Chase Paymentech Solutions Field Name | Description | Used By: Required (R) or Optional (O) | Data Type & Length |
|--|--|---|--|-----------------------|
| invoiceHeader_ amexDataTAA1 invoiceHeader_ amexDataTAA2 invoiceHeader_ amexDataTAA3 invoiceHeader_ amexDataTAA4 | TAA1 TAA2 TAA3 TAA4 | Four transaction advice addendum fields. These fields are used to display descriptive information about a transaction on your customer's American Express card statement. If you are sending any TAA fields, start with invoiceHeader_amexDataTAA1, thenTAA2, and so on. Skipping a TAA field causes subsequent TAA fields to be ignored. Contact CyberSource Customer Support if you plan to use these fields so that your account can be configured appropriately. The invoiceHeader_amexDataTAA1 field is required for Level II transactions for American Express cards for Chase Paymentech Solutions, but the other TAA fields are optional. However, if you are including the request ID (ccCreditService_captureRequestID) in a Level II credit request, you are not required to include invoiceHeader_amexDataTAA1. | Level II American Express (See description) | String (40) |

Table 2 Order-Level Fields for Chase Paymentech Solutions (Continued)

| CyberSource Field Name | Chase Paymentech Solutions Field Name | Description | Used By: Required (R) or Optional (O) | Data Type & Length |
|---------------------------------|--|--|---|-----------------------|
| invoiceHeader_ userPO | Customer Reference Number | Value used by your customer to identify the order. This value is typically a purchase order number. CyberSource recommends that you do not populate the field with all zeros or nines. | Level II Visa (R for purchase/ procurement cards; otherwise O) Mastercard (R for purchase/ procurement cards; otherwise O) American Express (R for purchase/ procurement cards; otherwise) | String (25) |
| | | | Level III Visa (R for purchase/ procurement cards; otherwise O) Mastercard (R for purchase/ | |
| otherTax_ alternateTaxAmount | Alternate Tax Amount | Total amount of alternate tax for the order. | procurement cards; otherwise O) Level III | String (10) |
| | | | ■ Mastercard (O) | String (45) |
| otherTax_ alternateTaxID | Alternate Tax ID | Your tax ID number to use for the alternate tax amount. Required if you set Alternate Tax Amount to any value, including zero. You may send this field without sending Alternate Tax Amount. | Level III Mastercard (See description) | String (15) |
| otherTax_ vatTaxAmount | VAT/Tax Amount | Total amount of VAT or other tax included in the order. | Level III ■ Visa (O) | String (13) |

Table 2 Order-Level Fields for Chase Paymentech Solutions (Continued)

| CyberSource Field Name | Chase Paymentech Solutions Field Name | Description | Used By: Required (R) or Optional (O) | Data Type & Length | |
|-------------------------------------|--|--|--|-----------------------|--|
| otherTax_ | VAT/Tax Rate | Rate of VAT or other tax for the order. | Level III | String (4) | |
| vatTaxRate | | Example 0.040 (=4%) | ■ Visa (O) | | |
| | | Valid range: 0.01 to 0.99 (1% to 99%, with only whole percentage values accepted; values with additional decimal places will be truncated) | | | |
| purchaseTotals_ | Discount | Total discount applied to the order. For | Level III | String (13) | |
| discountAmount | Amount Applied to Order | example: a 20.00 discount off the order total. | Visa (R for Level III interchange) | | |
| purchaseTotals_ | Duty Amount | Total charges for any import or export duties included in the order. | Level III | Visa: String (13) | |
| dutyAmount | | | ■ Visa (R for Level | | |
| | | | III interchange) | Mastercard: | |
| | | | Mastercard (R for Level III interchange) | or String (10) | |
| purchaseTotals_ | Freight | Total freight or shipping and handling | Level III | Visa: String | |
| freightAmount | Amount | charges for the order. When you include this field in your request, you must also include purchaseTotals _ | Visa (R for Level III interchange) | (13) Mastercard: | |
| | | grandTotalAmount. | Mastercard (R for Level III interchange) | String (10) | |
| purchaseTotals_ grandTotalAmount | _ | No Grand total for the entire capture or | Level III | String (15) | |
| | | ding credit request. | ■ Visa (R) | | |
| | | Paymentech | ■ Mastercard (R) | | |

Table 2 Order-Level Fields for Chase Paymentech Solutions (Continued)

| CyberSource Field Name | Chase Paymentech Solutions Field Name | Description | Used By: Required (R) or Optional (O) | Data Type & Length |
|---------------------------|--|--|--|-----------------------|
| shipFrom_ postalCode | Ship From ZIP/ Postal Code | Postal code for the address from which the goods are shipped, which is used to determine nexus. The default is the postal code associated with your CyberSource account. The postal code must consist of 5 to 9 digits. If the billing country is the U.S., the 9-digit postal code must follow this format: [5 digits][dash][4 digits] Example 12345-6789 If the billing country is Canada, the 6-digit postal code must follow this format: | Visa (O) Mastercard (R for best rate. Do not use all zeros or nines.) | String (10) |
| | | [alpha][numeric][alpha] [space][numeric][alpha] [numeric] Example A1B 2C4 | | |
| shipTo_country | Destination Country Code | Country of the shipping address. Use the two-character <i>ISO Standard Country Codes</i> . | Level III Visa (R for best rate) Mastercard (O but recommended) | String (2) |
| shipTo_postalCode | Destination ZIP/Postal Code | Postal code for the shipping address. The postal code must consist of 5 to 9 digits. When the shipping country is the U.S., the 9-digit postal code must follow this format: [5 digits][dash][4 digits] Example 12345-6789 When the shipping country is Canada, the 6-digit postal code must follow this format: [alpha][numeric][alpha][space] [numeric][alpha][numeric] Example A1B 2C3 | Level III Visa (R for best rate) Mastercard (R for best rate. Do not use all zeros or nines.) | String (10) |
| | | This value is the same as the value for shipFrom_postalCode when your customer takes possession of the items at your location. | | |

Item-Level Fields



The maximum number of items you can have in a Level III Chase Paymentech Solutions transaction is 98. If the number of items exceeds 98, Chase Paymentech Solutions rejects the batch

Table 3 Item-Level Fields for Chase Paymentech Solutions

| CyberSource Field Name | Chase Paymentech Solutions Field Name | Description | Used By: Required (R) or Optional (O) | Data Type & Length |
|---------------------------|--|--|--|-----------------------|
| item_#_ | Item | Commodity code used to classify | Level III | String (12) |
| commodityCode | Commodity Code | the item. See "Numbered Elements," page 14. | Visa (R for Level III interchange) | |
| item_#_ | Visa: Discount | Discount applied to the item. See | Level III | Visa: String |
| discountAmount | Amount for Line Item | "Numbered Elements," page 14. | Visa (R for Level III interchange) | (13) Mastercard: |
| | Mastercard: | | ■ Mastercard (R for | String (10) |
| | Discount Amount | | Level III interchange) | |
| item_#_ | Discount | Flag that indicates whether the | Level III | String (1) |
| discountIndicator | Indicator Indicator | amount is discounted. Possible values: | Mastercard (R for Level III | |
| | | Y: amount is discounted | interchange) | |
| | | N: amount is not discounted | | |
| | | If you do not provide a value but you set Discount Amount to a value greater than zero, then CyberSource sets this field to Y. See "Numbered Elements," page 14. | | |
| item_#_ | Gross/Net | Flag that indicates whether the | Level III | String (1) |
| grossNetIndicator | dicator Indicator | tax amount is included in the Line Item Total. See "Numbered Elements," page 14. Possible values: | ■ Mastercard (R) | |
| | | Y: item amount includes tax amount | | |
| | | N: item amount does not include tax amount | | |

 Table 3
 Item-Level Fields for Chase Paymentech Solutions (Continued)

| CyberSource Field Name | Chase Paymentech Solutions Field Name | Description | Used By: Required (R) or Optional (O) | Data Type & Length |
|---------------------------|---|---|--|--|
| item_#_invoiceNumber | No corresponding Chase Paymentech Solutions field | Field to support an invoice number for a transaction. You must specify the number of line items that will include an invoice number. By default, the first line item will include an invoice number field. The invoice number field can be included for up to 10 line items. See "Numbered Elements," page 14. | Level II Visa (O) Mastercard (O) American Express (O) Level III Visa (O) Mastercard (O) | String (23) |
| item_#_productCode | Product Code | Type of product. This value is used to determine the category that the product is in: electronic, handling, physical, service, or shipping. The default value is default. See Appendix B, "Product Codes," on page 101 for a list of valid values. See "Numbered Elements," page 14. For ccAuthService, when you | Level III Visa (R for Level III interchange) Mastercard (R for Level III interchange. Do not use all zeros or spaces.) | String (12) |
| | | set this field to a value other than default or any of the values related to shipping or handling, the item_#_quantity, item_#_productName, and item_#_productSKU fields are required. | | |
| item_#_productName | Description | Text description of the item. See "Numbered Elements," page 14. | Level III Visa (R for Level III interchange) Mastercard (R for Level III interchange. Do not use all zeros or spaces.) | Visa: String (26) Mastercard: String (35) |

 Table 3
 Item-Level Fields for Chase Paymentech Solutions (Continued)

| CyberSource Field Name | Chase Paymentech Solutions Field Name | Description | Used By: Required (R) or Optional (O) | Data Type & Length |
|---------------------------|--|--|---|---|
| item_#_quantity | Quantity | Number of units of the item purchased. Must be a whole number. If you do not provide this value, CyberSource sets it to 1. See "Numbered Elements," page 14. | Level III Visa (R for Level III interchange) Mastercard (R for Level III interchange. Do not use all zeros or spaces.) | Visa: Integer (12) Mastercard: Integer (5) |
| item_#_taxAmount | Tax Amount | Total tax to apply to the product. This value cannot be negative. See "Numbered Elements," page 14. The item_#_taxAmount field is additive. For example, if you send one item with unitPrice of 10.00 and taxAmount of 0.80, and you send another item with unitPrice of 20.00 and taxAmount of 1.60, the total amount authorized will be for 32.40, not 30.00 with 2.40 of tax included. The item_#_ taxAmount and the item_#_ unitPrice must be in the same currency. | Level II Visa (R) Mastercard (R) American Express (R) Level III Visa (R for Level III interchange) Mastercard (R for Level III interchange) | Visa: String (13) Mastercard: String (10) |
| item_#_taxRate | Tax Rate | Tax rate applied to the item. See "Numbered Elements," page 14. Visa: Valid range is 0.01 to 0.99 (1% to 99%, with only whole percentage values accepted; values with additional decimal places will be truncated). Mastercard: Valid range is 0.00001 to 0.99999 (0.001% to 99.999%). | Level III Visa (R for Level III interchange) Mastercard (R for Level III interchange) | Visa: String (4) Mastercard: String (7) |
| item_#_taxTypeApplied | Tax Type Applied | Type of tax being applied to the item. See "Numbered Elements," page 14. | Level III Mastercard (O) | String (4) |

 Table 3
 Item-Level Fields for Chase Paymentech Solutions (Continued)

| CyberSource Field Name | Chase Paymentech Solutions Field Name | Description | Used By: Required (R) or Optional (O) | Data Type & Length |
|---------------------------|--|---|--|--|
| item_#_totalAmount | Line Item Total | Total amount for the item. Normally calculated as the unit price x quantity. See "Numbered Elements," page 14. | Level III Visa (R) Mastercard (R. Do not use all zeros or spaces.) | Visa: String (13) Mastercard: String (10) |
| item_#_unitOfMeasure | Unit of Measure | Unit of measure, or unit of measure code, for the item. See Appendix A, "Codes for Units of Measurement," on page 94. See "Numbered Elements," page 14. | Level III Visa (R for Level III interchange) Mastercard (R for Level III interchange. Must not be all zeros or spaces) | Visa: String (12) Mastercard: String (3) |
| item_#_unitPrice | Unit Cost | Per-item price of the product. This value cannot be negative. You can include a decimal point (.), but you cannot include any other special characters. CyberSource truncates the amount to the correct number of decimal places. See "Numbered Elements," page 14. | Level II Visa (R) Mastercard (R) American Express (R) | String (13) |
| | | Important For a Level III transaction, this value cannot be zero (0). | Visa (R)Mastercard (R) | |

Examples

Example 2 Level III Capture Request for Visa with Name-Value Pairs

```
merchantID=infodev
ccCaptureService_run=true
ccCaptureService_purchasingLevel=3
merchantReferenceCode=R98TV09EN200W
purchaseTotals_currency=USD
ccCaptureService_authRequestID=0839543530000172034078
invoiceHeader_userPO=4119480
shipTo_country=US
shipTo_postalCode=94043
item_0_unitPrice=59.95
item_0_quantity=10
item_0_productName=File Cabinet
item_0_taxAmount=49.46
item_0_totalAmount=648.96
item_1_unitPrice=4.99
item_1_quantity=50
item_1_productName=File Folders
item_1_productName=20.58
item_1_totalAmount=270.08
purchaseTotals_grandTotalAmount=919.04
```

Example 3 Level III Capture Request for Mastercard with XML

```
<requestMessage xmlns="urn:schemas-cybersource-com:transaction-data-1.23">
   <merchantID>infodev</merchantID>
   <merchantReferenceCode>R98TV09EN200W</merchantReferenceCode>
   <invoiceHeader>
      <userPO>4119480</userPO>
   </invoiceHeader>
   <shipTo>
      <postalCode>94041</postalCode>
      <country>US</country>
   </shipTo>
   <shipFrom>
      <postalCode>42651</postalCode>
   </shipFrom>
   <item id="0">
      <unitPrice>59.95</unitPrice>
      <quantity>10</quantity>
      cproductName>File Cabinet/productName>
      <taxAmount>49.46</taxAmount>
      <unitOfMeasure>each</unitOfMeasure>
      <taxRate>0.0825</taxRate>
      <totalAmount>648.96</totalAmount>
      <grossNetIndicator>Y</grossNetIndicator>
   </item>
   <item id="1">
      <unitPrice>4.99</unitPrice>
      <quantity>50</quantity>
      oductName>File Folders
      <taxAmount>20.58</taxAmount>
      <unitOfMeasure>each</unitOfMeasure>
      <taxRate>0.0825</taxRate>
      <totalAmount>270.08</totalAmount>
      <grossNetIndicator>Y</grossNetIndicator>
   </item>
   <purchaseTotals>
      <currency>USD</currency>
      <grandTotalAmount>919.04/grandTotalAmount>
   </purchaseTotals>
   <ccCaptureService run="true">
      <authRequestID>0839543530000172034078</authRequestID>
      <purchasingLevel>3</purchasingLevel>
   </ccCaptureService>
</requestMessage>
```

Transaction Requirements



When you send a capture or credit request with Level II or Level III data or both, you must include the required fields for every capture or credit request. For information about the non-Level-II and non-Level-III fields required for capture and credit requests, see the *Credit Card Services User Guide*.

Interchange Rates



This document provides guidelines that indicate which fields are needed in order to obtain the best interchange rates. These guidelines are based on industry information. CyberSource recommends that you contact your acquirer for the most current information because the payment card companies can change their requirements at any time.

Data Types

Fields for amounts and tax rates use a string data type. However, you should include only numbers and a decimal point in those fields.

Processor Specification

The specification that CyberSource used to implement Level III processing for FDC Compass is the *Compass 120-Byte Processing Technical Specification, Version 1.9, July 28, 2009.*

Order-Level Fields

Table 4 Order-Level Fields for FDC Compass

| CyberSource Field Name | FDC Compass Field Name | Description | Used By: Required (R) or Optional (O) | Data Type & Length |
|--|--|--|---|-----------------------|
| ccCaptureService_ purchasingLevel | No corresponding FDC Compass field | Flag that indicates the capture request includes Level III data. Set the value for this field to 3. For more information, see "Requesting Captures and Credits with Level III Data," page 16. | Level III Visa (R for captures; not used for credits) Mastercard (R for captures; not used for credits) | String (1) |
| ccCreditService_ purchasingLevel | No corresponding FDC Compass field | Flag that indicates the credit request includes Level III data. Set the value for this field to 3. For more information, see "Requesting Captures and Credits with Level III Data," page 16. | Level III Visa (R for credits; not used for captures) Mastercard (R for credits; not used for captures) | String (1) |
| invoiceHeader_ amexDataTAA1 invoiceHeader_ amexDataTAA2 invoiceHeader_ amexDataTAA3 invoiceHeader_ amexDataTAA4 | DataTAA1 TAA2 eHeader_ DataTAA2 TAA3 TAAA3 eHeader_ PHeader_ DataTAA3 TAA4 eHeader_ DataTAA3 with invoice thenTAA2 DataTAA4 TAA field cat to be ignore | Four transaction advice addendum fields. These fields are used to display descriptive information about a transaction on your customer's American Express card statement. If you are sending any TAA fields, start with invoiceHeader_amexDataTAA1, thenTAA2, and so on. Skipping a TAA field causes subsequent TAA fields to be ignored. Contact CyberSource Customer | Level II American Express (See description) | String (40) |
| | | Support if you plan to use these fields so that your account can be configured appropriately. The invoiceHeader_amexDataTAA1 field is required for Level II transactions for American Express cards for FDC Compass, but the other TAA fields are optional. However, if you are including the request ID (ccCreditService_captureRequestID) in a Level II credit request, you are not required to include invoiceHeader_amexDataTAA1. | | |

Table 4 Order-Level Fields for FDC Compass (Continued)

| CyberSource Field Name | FDC Compass Field Name | Description | Used By: Required (R) or Optional (O) | Data Type & Length |
|---------------------------------|---------------------------------|--|---|-----------------------|
| invoiceHeader_ userPO | Customer Reference Number | Value used by your customer to identify the order. This value is typically a purchase order number. CyberSource recommends that you do not populate the field with all zeros or nines. | Level II Visa (R for purchase/ procurement cards; otherwise O) Mastercard (R for purchase/ procurement cards; otherwise O) American Express (R for purchase/ procurement cards; otherwise) | String (25) |
| | | | Level III Visa (R for purchase/ procurement cards; otherwise O) Mastercard (R for purchase/ procurement cards; otherwise O) | |
| otherTax_ alternateTaxAmount | Alternate Tax Amount | Total amount of alternate tax for the order. | Level III Mastercard (O) | String (10) |
| otherTax_ alternateTaxID | Alternate Tax ID | Your tax ID number to use for the alternate tax amount. Required if you set Alternate Tax Amount to any value, including zero. You may send this field without sending Alternate Tax Amount. | Level III Mastercard (See description) | String (15) |
| otherTax_ vatTaxAmount | VAT/Tax Amount | Total amount of VAT or other tax included in the order. | Level III Visa (O) | String (13) |

Table 4 Order-Level Fields for FDC Compass (Continued)

| CyberSource Field Name | FDC Compass Field Name | Description | Used By: Required (R) or Optional (O) | Data Type & Length |
|-----------------------------------|---|--|--|--|
| otherTax_ | VAT/Tax Rate | Rate of VAT or other tax for the order. | Level III | String (4) |
| vatTaxRate | | Example 0.040 (=4%) | ■ Visa (O) | |
| | | Valid range: 0.01 to 0.99 (1% to 99%, with only whole percentage values accepted; values with additional decimal places will be truncated) | | |
| purchaseTotals_ discountAmount | Discount Amount Applied to Order | Total discount applied to the order. For example: a 20.00 discount off the order total. | Level III Visa (O) | String (13) |
| purchaseTotals_ dutyAmount | Duty Amount | Total charges for any import or export duties included in the order. | Level III Visa (O) Mastercard (O) | Visa: String (13) Mastercard: String (10) |
| purchaseTotals_ | Freight Amount | Total freight or shipping and handling charges for the order. When you include this field in your request, you must also include purchaseTotals_grandTotalAmount. | Level III | Visa: String |
| freightAmount | | | ■ Visa (O) | (13) |
| | | | Mastercard (O) | Mastercard: String (10) |
| purchaseTotals_ | No corresponding FDC Compass field | Grand total for the entire capture or credit request. | Level III | String (15) |
| grandTotalAmount | | | ■ Visa (R) | |
| | | | Mastercard (R) | |
| shipFrom_ | Ship From ZIP/ | Postal code for the address from which | Level III | String (10) |
| postalCode | Postal Code | the goods are shipped, which is used to determine nexus. The default is the postal code associated with your CyberSource account. The postal code must consist of 5 to 9 digits. | ■ Visa (O) | |
| | | | Mastercard (R for best rate. Do not use all zeros or nines.) | |
| | | If the billing country is the U.S., the 9-digit postal code must follow this format: [5 digits][dash][4 digits] | | |
| | | Example 12345-6789 | | |
| | | If the billing country is Canada, the 6-digit postal code must follow this format: [alpha][numeric][alpha] [space][numeric][alpha] [numeric] | | |
| | | Example A1B 2C4 | | |

Table 4 Order-Level Fields for FDC Compass (Continued)

| CyberSource Field Name | FDC Compass Field Name | Description | Used By: Required (R) or Optional (O) | Data Type & Length |
|---------------------------|------------------------------|--|--|-----------------------|
| shipTo_country | Destination | Country of the shipping address. Use | Level III | String (2) |
| | Country Code | the two-character ISO Standard Country Codes. | Visa (R for best rate) | |
| | | | Mastercard (O but recommended) | |
| shipTo_postalCode | Destination | Postal code for the shipping address. | Level III | String (10) |
| | ZIP/Postal Code | The postal code must consist of 5 to 9 digits. | Visa (R for best rate) | |
| | | When the shipping country is the U.S., the 9-digit postal code must follow this format: [5 digits][dash][4 digits] | Mastercard (R for best rate. Do not use all zeros or nines.) | |
| | | Example 12345-6789 | | |
| | | When the shipping country is Canada, the 6-digit postal code must follow this format: [alpha][numeric][alpha][space] [numeric][alpha][numeric] | | |
| | | Example A1B 2C3 | | |
| | | This value is the same as the value for shipFrom_postalCode when your customer takes possession of the items at your location. | | |

Item-Level Fields



The maximum number of items you can have in a Level III FDC Compass transaction is 98. If the number of items exceeds 98, FDC Compass rejects the batch.

Table 5 Item-Level Fields for FDC Compass

| CyberSource Field Name | FDC Compass Field Name | Description | Used By: Required (R) or Optional (O) | Data Type & Length |
|------------------------------|---|---|---|--|
| item_#_ commodityCode | Item Commodity Code | Commodity code used to classify the item. See "Numbered Elements," page 14. | Level III ■ Visa (R) | String (12) |
| item_#_ discountAmount | Visa: Discount Amount for Line Item Mastercard: Discount Amount | Discount applied to the item. See "Numbered Elements," page 14. | Level III Visa (O) Mastercard (O) | Visa: String (13) Mastercard: String (10) |
| item_#_ discountIndicator | Discount Indicator | Flag that indicates whether the amount is discounted. Possible values: Y: amount is discounted N: amount is not discounted If you do not provide a value but you set Discount Amount to a value greater than zero, then CyberSource sets this field to Y. See "Numbered Elements," page 14. | Level III Mastercard (O) | String (1) |
| item_#_ grossNetIndicator | Gross/Net Indicator | Flag that indicates whether the tax amount is included in the Line Item Total. See "Numbered Elements," page 14. Possible values: Y: item amount includes tax amount N: item amount does not include tax amount | Level III ■ Mastercard (R) | String (1) |

Table 5 Item-Level Fields for FDC Compass (Continued)

| CyberSource Field Name | FDC Compass Field Name | Description | Used By: Required (R) or Optional (O) | Data Type & Length |
|---------------------------|---|---|--|---|
| item_#_invoiceNumber | No corresponding FDC Compass field | Field to support an invoice number for a transaction. You must specify the number of line items that will include an invoice number. By default, the first line item will include an invoice number field. The invoice number field can be included for up to 10 line items. See "Numbered Elements," page 14. | Level II Visa (O) Mastercard (O) American Express (O) Level III Visa (O) Mastercard (O) | String (23) |
| item_#_productCode | Product Code | Type of product. This value is used to determine the category that the product is in: electronic, handling, physical, service, or shipping. The default value is default. See Appendix B, "Product Codes," on page 101 for a list of valid values. See "Numbered Elements," page 14. For ccAuthService, when you set this field to a value other than default or any of the values related to shipping or handling, the item_#_quantity, item_#_productName, and item_#_productSKU fields are required. | Level III Visa (R for Level III interchange) Mastercard (R for Level III interchange. Do not use all zeros or spaces.) | String (12) |
| item_#_productName | Description | Text description of the item. See "Numbered Elements," page 14. | Level III Visa (R for Level III interchange) Mastercard (R for Level III interchange. Do not use all zeros or spaces.) | Visa: String (26) Mastercard: String (35) |
| item_#_quantity | Quantity | Number of units of the item purchased. Must be a whole number. If you do not provide this value, CyberSource sets it to 1. See "Numbered Elements," page 14. | Level III Visa (R for Level III interchange) Mastercard (R for Level III interchange. Do not use all zeros or spaces.) | Visa: Integer (12) Mastercard: Integer (5) |

Table 5 Item-Level Fields for FDC Compass (Continued)

| CyberSource Field Name | FDC Compass Field Name | Description | Used By: Required (R) or Optional (O) | Data Type & Length |
|--|----------------------------------|--|---|--|
| item_#_taxAmount | Tax Amount | Total tax to apply to the product. This value cannot be negative. See "Numbered Elements," page 14. The item_#_taxAmount field is additive. For example, if you send one item with unitPrice of 10.00 and taxAmount of 0.80, and you send another item with unitPrice of 20.00 and taxAmount of 1.60, the total amount authorized will be for 32.40, not 30.00 with 2.40 of tax included. The item_#_ taxAmount and the item_#_ unitPrice must be in the same currency. | Level II Visa (R) Mastercard (R) American Express (R) Level III Visa (R for Level III interchange) Mastercard (R for Level III interchange) | Visa: String (13) Mastercard: String (10) |
| item_#_taxRate | Tax Rate | Tax rate applied to the item. See "Numbered Elements," page 14. Visa: Valid range is 0.01 to 0.99 (1% to 99%, with only whole percentage values accepted; values with additional decimal places will be truncated). Mastercard: Valid range is 0.00001 to 0.99999 (0.001% to 99.999%). | Level III Visa (R for Level III interchange) Mastercard (R for Level III interchange) | Visa: String (4) Mastercard: String (7) |
| item_#_taxTypeApplied item_#_totalAmount | Tax Type Applied Line Item Total | Type of tax being applied to the item. See "Numbered Elements," page 14. Total amount for the item. Normally calculated as the unit price x quantity. See "Numbered Elements," page 14. | Level III Mastercard (O) Level III Visa (R) Mastercard (R. Do not use all zeros or spaces.) | Visa: String (13) Mastercard: String (10) |
| item_#_unitOfMeasure | Unit of Measure | Unit of measure, or unit of measure code, for the item. See Appendix A, "Codes for Units of Measurement," on page 94. See "Numbered Elements," page 14. | Level III Visa (R for Level III interchange) Mastercard (R for Level III interchange. Must not be all zeros or spaces) | Visa: String (12) Mastercard: String (3) |

Table 5 Item-Level Fields for FDC Compass (Continued)

| CyberSource Field Name | FDC Compass Field Name | Description | Used By: Required (R) or Optional (O) | Data Type & Length |
|---------------------------|------------------------------|--|---|-----------------------|
| item_#_unitPrice | Unit Cost | Per-item price of the product. | Level II | String (13) |
| | | This value cannot be negative. You can include a decimal point | ■ Visa (R) | |
| | | (.), but you cannot include any | Mastercard (R) | |
| | | other special characters. CyberSource truncates the amount to the correct number of decimal places. See "Numbered" | American Express (R) | |
| | | Elements," page 14. | Level III | |
| | | Important For a Level III | ■ Visa (R) | |
| | | transaction, this value cannot be zero (0). | Mastercard (R) | |

Examples

Example 4 Level III Capture Request for Visa with Name-Value Pairs

```
merchantID=infodev
ccCaptureService_run=true
ccCaptureService_purchasingLevel=3
merchantReferenceCode=R98TV09EN200W
purchaseTotals_currency=USD
ccCaptureService_authRequestID=0839543530000172034078
invoiceHeader_userPO=4119480
shipTo_country=US
shipTo_postalCode=94043
item_0_unitPrice=59.95
item_0_quantity=10
item_0_productName=File Cabinet
item_0_taxAmount=49.46
item_0_totalAmount=648.96
item_1_unitPrice=4.99
item_1_quantity=50
item_1_productName=File Folders
item_1_productName=20.58
item_1_totalAmount=270.08
purchaseTotals_grandTotalAmount=919.04
```

Example 5 Level III Capture Request for Mastercard with XML

```
<requestMessage xmlns="urn:schemas-cybersource-com:transaction-data-1.23">
   <merchantID>infodev</merchantID>
   <merchantReferenceCode>R98TV09EN200W</merchantReferenceCode>
   <invoiceHeader>
      <userPO>4119480</userPO>
   </invoiceHeader>
   <shipTo>
      <postalCode>94041</postalCode>
      <country>US</country>
   </shipTo>
   <shipFrom>
      <postalCode>42651</postalCode>
   </shipFrom>
   <item id="0">
      <unitPrice>59.95</unitPrice>
      <quantity>10</quantity>
      cproductName>File Cabinet/productName>
      <taxAmount>49.46</taxAmount>
      <unitOfMeasure>each</unitOfMeasure>
      <taxRate>0.0825</taxRate>
      <totalAmount>648.96</totalAmount>
      <grossNetIndicator>Y</grossNetIndicator>
   </item>
   <item id="1">
      <unitPrice>4.99</unitPrice>
      <quantity>50</quantity>
      oductName>File Folders
      <taxAmount>20.58</taxAmount>
      <unitOfMeasure>each</unitOfMeasure>
      <taxRate>0.0825</taxRate>
      <totalAmount>270.08</totalAmount>
      <grossNetIndicator>Y</grossNetIndicator>
   </item>
   <purchaseTotals>
      <currency>USD</currency>
      <grandTotalAmount>919.04/grandTotalAmount>
   </purchaseTotals>
   <ccCaptureService run="true">
      <authRequestID>0839543530000172034078</authRequestID>
      <purchasingLevel>3</purchasingLevel>
   </ccCaptureService>
</requestMessage>
```

CHAPI

4



Starting May 1, 2012: Due to the limited functionality of the **invoiceHeader_supplierOrderReference**, CyberSource recommends that you use the item-level field **item_#_productName** instead. Include only one of these fields in a request; including both fields could result in an error.

Transaction Requirements



When you send a capture or credit request with Level II or Level III data or both, you must include the required fields for every capture or credit request. For information about the non-Level-II and non-Level-III fields required for capture and credit requests, see the *Credit Card Services User Guide*.

Interchange Rates



This document provides guidelines that indicate which fields are needed in order to obtain the best interchange rates. These guidelines are based on industry information. CyberSource recommends that you contact your acquirer for the most current information because the payment card companies can change their requirements at any time.

Data Types

Processor Specification

The specification that CyberSource used to implement Level III processing for FDC Nashville Global is the *First Data PTS Specification*, *v2010-2*, October 30, 2010.

Table 6 Order-Level Fields for FDC Nashville Global

| CyberSource Field Name | FDC Nashville Global Field Name | Description | Used By: Required (R) or Optional (O) | Data Type & Length |
|--|---|--|---|-----------------------|
| ccCaptureService_ purchasingLevel | No corresponding FDC Nashville Global field | Flag that indicates the capture request includes Level III data. Set the value for this field to 3. For more information, see "Requesting Captures and Credits with Level III Data," page 16. | Level III Visa (R for captures; not used for credits) Mastercard (R for captures; not used for credits) | String (1) |
| ccCreditService_ purchasingLevel | No corresponding FDC Nashville Global field | Flag that indicates the credit request includes Level III data. Set the value for this field to 3. For more information, see "Requesting Captures and Credits with Level III Data," page 16. | ■ Visa (R for credits; not used for captures) ■ Mastercard (R for credits; not used for captures) | String (1) |
| invoiceHeader_ purchaserVAT Registration Number | Customer VAT Registration Number | Identification number assigned to the purchasing company by the tax authorities. | Level II Visa (R for non-U.S. Visa transactions; otherwise, not used) | String (13) |
| invoiceHeader_ supplierOrder Reference | Item Description Part A | Text description of the item. Important Starting May 1, 2012: Due to the limited functionality of the invoiceHeader_supplierOrder Reference field, CyberSource recommends that you use the item-level field item_#_productName instead. Include only one of these fields in a request; including both fields could result in an error. | Level III Visa (R) Mastercard (R for reduced interchange) | String (25) |

Table 6 Order-Level Fields for FDC Nashville Global (Continued)

| CyberSource Field Name | FDC Nashville Global Field Name | Description | Used By: Required (R) or Optional (O) | Data Type & Length |
|---|--|--|--|-----------------------|
| invoiceHeader_ userPO | Customer Code | Value used by your customer to identify the order. This value is typically a purchase order number. You must provide a value in this field or in the merchantReferenceCode field. CyberSource recommends that you do not populate this field with all zeros or nines. | Level II Visa (See description) Mastercard (See description) American Express (See description) | String (25) |
| | | | Level III Visa (See description) Mastercard (See description) | |
| invoiceHeader_ vatInvoice Reference Number | VAT Invoice Reference Number | VAT invoice number associated with the transaction. | Level II Visa (R for non-U.S. Visa transactions; otherwise, not used) | String (15) |

Table 6 Order-Level Fields for FDC Nashville Global (Continued)

| CyberSource Field Name | FDC Nashville Global Field Name | Description | Used By: Required (R) or Optional (O) | Data Type & Length |
|---------------------------------|--|--|--|-----------------------|
| otherTax_ alternateTaxAmount | Other Tax Amount | Amount of all taxes, excluding the local tax (item_#_taxAmount) and national tax (item_#_nationalTax) included in the total tax. | Level II Visa (R for non- U.S. transactions; otherwise, not used) | String (11) |
| | | | Mastercard (R for non-U.S. transactions; otherwise, not used) | |
| | | | American Express (R for non-U.S. transactions; otherwise, not used) | |
| | | | Level III ■ Visa (O for non- U.S. transactions; otherwise, not used) | |
| | | | Mastercard (O for non-U.S. transactions; otherwise, not used) | |
| otherTax_ | Other Tax | Flag that indicates whether the alternate | Level II | String (1) |
| alternate TaxIndicator | Indicator | tax amount (otherTax_ alternateTaxAmount) is included in the request. Possible values: | Mastercard (R for non-U.S. transactions; | |
| | | 0: alternate tax amount is not included in the request. | otherwise, not used) | |
| | | 1: alternate tax amount is included in the request. | Level III | |
| | | | Mastercard (O for non-U.S. transactions; otherwise, not used) | |

Table 6 Order-Level Fields for FDC Nashville Global (Continued)

| CyberSource Field Name | FDC Nashville Global Field Name | Description | Used By: Required (R) or Optional (O) | Data Type & Length |
|---------------------------|--|--|--|-----------------------|
| otherTax_ | VAT/Tax | Total amount of VAT or other tax on | Level II | String (11) |
| vatTaxAmount | Amount | freight or shipping only. | Visa (O for non- U.S. transactions; otherwise, not used) | |
| | | | Mastercard (O for non-U.S. transactions; otherwise, not used) | & Length |
| | | | American Express (O for non-U.S. transactions; otherwise, not used) | |
| otherTax_ | VAT/Tax Rate | Vat tax rate for freight or shipping. | Level II | String (5) |
| vatTaxRate | | | Visa (O for non- U.S. transactions; otherwise, not used) | |
| | | | Mastercard (O for non-U.S. transactions; otherwise, not used) | |
| | | | American Express (O for non-U.S. transactions; otherwise, not used) | |
| purchaseTotals_ | Discount | Total discount applied to the order. This | Level II | String (11) |
| discountAmount | Amount | value cannot be negative. For example: a 20.00 discount off the order total. | ■ Visa (R) | |
| | | 2 20.00 discount on the order total. | Mastercard (O) | |
| | | | Level III | |
| | | | ■ Visa (O) | |

Table 6 Order-Level Fields for FDC Nashville Global (Continued)

| CyberSource Field Name | FDC Nashville Global Field Name | Description | Used By: Required (R) or Optional (O) | Data Type & Length |
|-------------------------------------|---|---|---|-----------------------|
| purchaseTotals_ dutyAmount | Duty Amount | Total charges for any import or export duties included in the order. This value cannot be negative. | Level II Visa (R) Mastercard (O) | String (11) |
| | | | Level III ■ Visa (O) | |
| purchaseTotals_ freightAmount | Freight Amount | Total freight or shipping and handling charges for the order. When you include this field in your request, you must also include purchaseTotals_grandTotalAmount. | Level III Visa (O) Mastercard (O) | String (13) |
| purchaseTotals_ grandTotalAmount | No corresponding FDC Nashville Global field | Grand total for the entire capture or credit request. | Level III Visa (R) Mastercard (R) | String (15) |
| shipFrom_ postalCode | Ship From Zip | Postal code for the address from which the goods are shipped, which is used to determine nexus. The default is the postal code associated with your CyberSource account. The postal code must consist of 5 to 9 digits. | Level II Visa (O) Mastercard (O) | String (10) |
| | | If the billing country is the U.S., the 9-digit postal code must follow this format: [5 digits][dash][4 digits] | Level III ■ Visa (R) ■ Mastercard (R) | |
| | | Example 12345-6789 If the billing country is Canada, the 6-digit postal code must follow this format: [alpha][numeric][alpha] [space][numeric][alpha] [numeric] Example A1B 2C4 | | |

Table 6 Order-Level Fields for FDC Nashville Global (Continued)

| CyberSource Field Name | FDC Nashville Global Field Name | Description | Used By: Required (R) or Optional (O) | Data Type & Length |
|---------------------------|--|---|---|-----------------------|
| shipTo_country | Destination Country | Country of the shipping address. Use the two-character <i>ISO Standard Country Codes</i> . | Level II Mastercard (R) | String (2) |
| | | Note If you include the shipTo_country field in a request and if the ship-to country is the U.S. or Canada, the request must also include the shipTo_state field. | Level III Visa (R if purchase Totals_freight Amount is included; otherwise, recommended for best rate) | |
| | | | Mastercard (O but recommended) | |

Table 6 Order-Level Fields for FDC Nashville Global (Continued)

| CyberSource Field Name | FDC Nashville Global Field Name | Description | Used By: Required (R) or Optional (O) | Data Type & Length |
|---------------------------|--|--|---|-----------------------|
| shipTo_postalCode | Destination | Postal code for the shipping address. | Level II | String (10) |
| | Zip | The postal code must consist of 5 to 9 digits. | ■ Visa (R) | |
| | | When the shipping country is the U.S., the 9-digit postal code must follow this format: [5 digits][dash][4 digits] | Mastercard (R)American Express (R) | & Length |
| | | Example 12345-6789 | Level III | |
| | | When the shipping country is Canada, the 6-digit postal code must follow this format: [alpha][numeric][alpha][space] [numeric][alpha][numeric] | ■ Visa (R) ■ Mastercard (R) | |
| | | Example A1B 2C3 | | |
| | | This value is the same as the value for shipFrom_postalCode when your customer takes possession of the items at your location. | | |
| | | If the postal code for the shipping address is not included in the request message, CyberSource uses the postal code for the billing address. If the postal code for the billing address is not included in the request message, the postal code for the shipping address is required. | | |
| shipTo_state | | State or province of the shipping | Level II | String (2) |
| | | address. Use the State, Province, and Territory Codes for the United States and Canada. | ■ Mastercard (R) | |
| | | | Level III | |
| | | This field must be included in a request if the shipTo_country field is included | Visa (See description) | |
| | | and the ship-to country is the U.S. or Canada. | Mastercard (See description) | |

Table 7 Item-Level Fields for FDC Nashville Global

| CyberSource Field Name | FDC Nashville Global Field Name | Description | Used By: Required (R) or Optional (O) | Data Type & Length |
|-----------------------------|--|--|---|-----------------------|
| item_#_ | Item Other Tax | See "Numbered Elements," page 14. | Level III | String (13) |
| alternateTaxAmount | Amount | Visa: VAT or other tax amount | ■ Visa (O) | |
| | | Mastercard: Tax amount collected for a special type of tax | ■ Mastercard (O) | |
| | | Important For Mastercard, do not set this field to 0 (zero). | | |
| item_#_alternateTaxID | Tax Amount 1 | Your tax ID number to use for the | Level III | String (15) |
| | Tax ID | alternate tax amount. See "Numbered Elements," page 14. | Mastercard (R if item_#_ alternateTax Amount is included; otherwise O) | |
| item_#_ | Item Tax Rate Applied | See "Numbered Elements," page 14. | Level III | String (5) |
| alternateTaxRate | | Mastercard: Tax rate for a type of tax | ■ Visa (O) | |
| | | collected. | Mastercard (O) | |
| | | Visa: VAT or other tax rate. | | |
| item_#_ alternateTaxType | Tax Type Identifier | Flag that indicates the type of tax collected for item_#_ alternateTaxAmount. See "Numbered Elements," page 14. Possible values: | Level III ■ Visa (O) ■ Mastercard (O) | String (2) |
| | | ■ 00: unknown | | |
| | | ■ 01: federal or national sales tax | | |
| | | ■ 02: states sales tax | | |
| | | ■ 03: city sales tax | | |
| | | ■ 04: local sales tax | | |
| | | ■ 05: municipal sales tax | | |
| | | ■ 06: other tax | | |
| | | ■ 10: value-added tax (VAT) | | |
| | | ■ 11: goods and services tax (GST) | | |
| | | ■ 12: provincial sales tax | | |
| | | ■ 20: room tax | | |
| | | ■ 21: occupancy tax | | |
| | | ■ 22: energy tax | | |

Table 7 Item-Level Fields for FDC Nashville Global (Continued)

| CyberSource Field Name | FDC Nashville Global Field Name | Description | Used By: Required (R) or Optional (O) | Data Type & Length |
|-----------------------------|--|--|--|-----------------------|
| item_#_ | Item Tax Type | See "Numbered Elements," page 14. | Level III | String (4) |
| alternateTaxType Applied | Applied | Mastercard: Flag that defines tax categories for domestic processing in | ■ Visa (O) | |
| | | certain locations. | Mastercard (O) | |
| | | Visa: VAT or other tax type. | | |
| item_#_ | Item | International description code used to | Level III | String (12) |
| commodityCode | Commodity Code | classify the item. Contact your acquirer or FDC Nashville Global for a list of | ■ Visa (R) | |
| | Code | codes. See "Numbered Elements," page 14. | ■ Mastercard (O) | |
| item_#_ | Item Discount | Discount applied to the item. See | Level III | String (13) |
| discountAmount | Amount | "Numbered Elements," page 14. | ■ Visa (O) | |
| | | Important For Mastercard, do not set this field to 0 (zero). | Mastercard (O) | |
| item_#_invoiceNumber | No corresponding FDC Nashville | You must specify the number of line items that will include an invoice number. By default, the first line item | Level II | String (23) |
| | | | Visa (See description) | |
| | Global field | will include an invoice number field. The invoice number field can be included for up to 10 line items. See | Mastercard (See description) | |
| | | "Numbered Elements," page 14. | ■ American | |
| | | | Express (See description) | |
| | | | Level III | |
| | | | Visa (See description) | |
| | | | Mastercard (See description) | |
| item_#_localTax | Item Local Tax | Sales tax applied to the item. See | Level III | String (13) |
| | Amount | "Numbered Elements," page 14. | ■ Visa (O) | |
| | | Important For Mastercard, do not set this field to 0 (zero). | Mastercard (O) | |

Table 7 Item-Level Fields for FDC Nashville Global (Continued)

| CyberSource Field Name | FDC Nashville Global Field Name | Description | Used By: Required (R) or Optional (O) | Data Type & Length |
|---------------------------|--|--|--|--|
| | National Tax Amount | Amount of national tax or value added tax for countries in which more than one tax is applied. Provide this value if national_tax differs from tax_amount. If you do not provide this value, CyberSource assumes that national_tax is equal to tax_amount. See "Numbered Elements," page 14. | Level II Visa (R for non-U.S. Visa transactions; otherwise, not used) | String (11) |
| | | Important For Mastercard, do not set this field to 0 (zero). | | |
| item_#_productCode | Item Product Code | Type of product. This value is used to determine the category that the product is in: electronic, handling, physical, service, or shipping. The default value is default. See Appendix B, "Product Codes," on page 101 for a list of valid values. See "Numbered Elements," page 14. | Level III Visa (R) Mastercard (R for reduced interchange) | String (12) |
| | | For ccAuthService, when you set this field to a value other than default or any of the values related to shipping or handling, the item_#_quantity, item_#_productName, and item_#_productSKU fields are required. | | |
| item_#_productName | Description | Text description of the item. See "Numbered Elements," page 14. | Level III Visa (R for Level III interchange) Mastercard (R for Level III interchange. Do not use all zeros or spaces.) | Visa: String (26) Mastercard: String (35) |
| item_#_productSKU | Item Customer Code | Identification code for the product. For ccAuthService and ccCaptureService, this field is required when item_#_productCode is not default or one of the values related to shipping or handling. See "Numbered Elements," page 14. | Level III Visa (See description) Mastercard (See description) | String (30) |

Table 7 Item-Level Fields for FDC Nashville Global (Continued)

| CyberSource Field Name | FDC Nashville Global Field Name | Description | Used By: Required (R) or Optional (O) | Data Type & Length |
|---------------------------|--|--|--|---|
| item_#_quantity | Item Quantity | Number of units of the item purchased. Must be a whole number. If you do not provide this value, CyberSource uses 1. See "Numbered Elements," page 14. | Level III Visa (R) Mastercard (RS for reduced interchange) | Integer (12) |
| item_#_taxAmount | Local Tax Amount | Total tax to apply to the product. This value cannot be negative. The tax amount and the unit price must be in the same currency. | Level II Visa (R) Mastercard (R) | Visa & Mastercard: String (11) American |
| | The tax amount field is additive. The following example uses a two-exponent currency such as USD: 1 You include the following items in your request: item_0_unitPrice=10.00 item_0_quantity=1 item_0_taxAmount=0.80 item_1_unitPrice=20.00 item_1_quantity=1 item_1_taxAmount=1.60 2 The total amount authorized will be 32.40, not 30.00 with 2.40 of tax included. | following example uses a two- | American Express (R) | Express: String (9) |
| | | <pre>your request: item_0_unitPrice=10.00 item_0_quantity=1 item_0_taxAmount=0.80 item_1_unitPrice=20.00 item_1_quantity=1</pre> | | |
| | | | | |
| | | Note This value is the sales tax. For Visa transactions, this value must be between 0.1% and 22% of the total sale. | | |
| | | Note For Visa and American Express, if this value is 0 (zero), the order is tax exempt. | | |
| | | Important For Mastercard, do not set this field to 0 (zero). | | |

Table 7 Item-Level Fields for FDC Nashville Global (Continued)

| CyberSource Field Name | FDC Nashville Global Field Name | Description | Used By: Required (R) or Optional (O) | Data Type & Length |
|--|---|---|---|-----------------------|
| item_#_unitOfMeasure Item Bulk/Unit of Measure | Unit of measure, or unit of measure code, for the item. See Appendix A, "Codes for Units of Measurement," on page 94 See "Numbered Elements," | Level III Visa (R) Mastercard (R for reduced | String (12) | |
| | page 14. | | interchange) | 211 (12) |
| item_#_unitPrice | Item Unit Cost | Per-item price of the product. This value cannot be negative. You can | Level II ■ Visa (R) | String (13) |
| | | include a decimal point (.), but you cannot include any other special | ■ Mastercard (R) | |
| | | characters. CyberSource truncates the amount to the correct number of decimal places. See "Numbered Elements," page 14. | American Express (R) | |
| | | Important For a Level III transaction, | Level III | |
| | | this value cannot be zero (0). | ■ Visa (R) | |
| | | Important For Mastercard, do not set this field to 0 (zero). | ■ Mastercard (R) | |

Transaction Requirements



When you send a capture or credit request with Level II data, you must include the required fields for every capture or credit request. For information about the non-Level-II fields required for capture and credit requests, see the *Credit Card Services User Guide*.

Interchange Rates



This document provides guidelines that indicate which fields are needed in order to obtain the best interchange rates. These guidelines are based on industry information. CyberSource recommends that you contact your acquirer for the most current information because the payment card companies can change their requirements at any time.

Data Types

Table 8 Order-Level Fields for FDMS Nashville

| CyberSource Field Name | Description | Used By: Required (R) or Optional (O) | Data Type & Length |
|---------------------------|--|---|-----------------------|
| invoiceHeader_taxable | Flag that indicates whether an order is taxable. | Level II | String (5) |
| | Possible values: | Visa | |
| | true: the order is taxable. | Mastercard | |
| | false: the order is not taxable. | | |
| invoiceHeader_userPO | Value used by your customer to identify the order. This value is typically a purchase order number. CyberSource recommends that you do not populate the field with all zeros or nines. | Level II Visa (R for purchase/ procurement cards; otherwise O) | String (25) |
| | | Mastercard (R for purchase/ procurement cards; otherwise O) | |
| shipTo_postalCode | Postal code for the shipping address. The | Level II | String (10) |
| | postal code must consist of 5 to 9 digits. | Visa | |
| | When the shipping country is the U.S., the 9-digit postal code must follow this format: [5 digits][dash][4 digits] | Mastercard | |
| | Example 12345-6789 | | |
| | When the shipping country is Canada, the 6-digit postal code must follow this format: [alpha][numeric][alpha][space] [numeric][alpha][numeric] | | |
| | Example A1B 2C3 | | |
| | If the postal code for the shipping address is not included in the request message, CyberSource uses the postal code for the billing address. If the postal code for the billing address is not included in the request message, the postal code for the shipping address is required. | | |

Table 9 Item-Level Fields for FDMS Nashville

| CyberSource Field Name | Description | Used By: Required (R) or Optional (O) | Data Type & Length |
|---------------------------|--|---|-----------------------|
| item_#_invoiceNumber | Field to support an invoice number for a transaction. You must specify the number of line items that will include an invoice number. By default, the first line item will include an invoice number field. The invoice number field can be included for up to 10 line items. See "Numbered Elements," page 14. | Level II Visa (O) Mastercard (O) | String (23) |
| item_#_unitPrice | Per-item price of the product. This value cannot be negative. You can include a decimal point (.), but you cannot include any other special characters. CyberSource truncates the amount to the correct number of decimal places. See "Numbered Elements," page 14. | Level II ■ Visa (R) ■ Mastercard (R) | String (15) |

Transaction Requirements



When you send a capture or credit request with Level II data, you must include the required fields for every capture or credit request. For information about the non-Level-II fields required for capture and credit requests, see the *Credit Card Services User Guide*.

Interchange Rates



This document provides guidelines that indicate which fields are needed in order to obtain the best interchange rates. These guidelines are based on industry information. CyberSource recommends that you contact your acquirer for the most current information because the payment card companies can change their requirements at any time.

Data Types

Table 10 Order-Level Fields for FDMS South

| CyberSource Field Name | Description | Used By: Required (R) or Optional (O) | Data Type & Length |
|------------------------------------|--|---|--------------------------|
| invoiceHeader_ | Customer ID reference number that identifies the | Level II | String (17) |
| purchaserCode | customer for a Level II transaction. | Visa (R for purchase/ procurement cards; otherwise O) | |
| invoiceHeader_ | Identification number assigned to the purchasing | Level II | String (13) |
| purchaserVAT RegistrationNumber | company by the tax authorities. | ■ Visa | |
| invoiceHeader_ | Categorizes purchases for VAT reporting. | Level II | String (4) |
| summaryCommodity Code | | ■ Visa | |
| invoiceHeader_taxable | Flag that indicates whether an order is taxable. | Level II | String (5) |
| | Possible values: | Visa | |
| | true: the order is taxable. | Mastercard | |
| | false: the order is not taxable. | | |
| invoiceHeader_ | Value used by your customer to identify the | Level II | String (25) |
| userPO | order. This value is typically a purchase order number. CyberSource recommends that you do not populate the field with all zeros or nines. | Visa (R for purchase/ procurement cards; otherwise O) | |
| | | Mastercard (R for purchase/ procurement cards; otherwise O) | |
| purchaseTotals_ | Total charges for any import or export duties | Level II | String (15) |
| dutyAmount | included in the order. This value cannot be negative. | Mastercard | |

Table 10 Order-Level Fields for FDMS South (Continued)

| CyberSource Field Name | Description | Used By: Required (R) or Optional (O) | Data Type & Length | |
|---------------------------|--|---|--------------------------|--|
| shipFrom_postalCode | Postal code for the address from which the | Level II | String (10) | |
| | goods are shipped, which is used to determine nexus. The default is the postal code associated with your CyberSource account. The postal code must consist of 5 to 9 digits. | Mastercard | | |
| | If the billing country is the U.S., the 9-digit postal code must follow this format: [5 digits][dash][4 digits] | | | |
| | Example 12345-6789 | | | |
| | If the billing country is Canada, the 6-digit postal code must follow this format: [alpha][numeric][alpha] [space][numeric][alpha] [numeric] | | | |
| | Example A1B 2C4 | | | |
| shipTo_country | Country of the shipping address. Use the two- | Level II | String (2) | |
| | character ISO Standard Country Codes. | Mastercard | | |
| shipTo_postalCode | Postal code for the shipping address. The postal code must consist of 5 to 9 digits. | Level II Mastercard (R for | String (10) | |
| | When the shipping country is the U.S., the 9-digit postal code must follow this format: [5 digits][dash][4 digits] | purchase/ procurement cards; otherwise O) | | |
| | Example 12345-6789 | | | |
| | When the shipping country is Canada, the 6-digit postal code must follow this format: [alpha][numeric][alpha][space] [numeric][alpha][numeric] | | | |
| | Example A1B 2C3 | | | |
| | If the postal code for the shipping address is not included in the request message, CyberSource uses the postal code for the billing address. If the postal code for the billing address is not included in the request message, the postal code for the shipping address is required. | | | |

Table 11 Item-Level Fields for FDMS South

| CyberSource Field Name | Description | Used By: Required (R) or Optional (O) | Data Type & Length |
|---------------------------|--|---|--------------------------|
| item_#_invoiceNumber | Field to support an invoice number for a transaction. You must specify the number of line items that will include an invoice number. By default, the first line item will include an invoice number field. The invoice number field can be included for up to 10 line items. See "Numbered Elements," page 14. | Level II Visa (O) Mastercard (O) | String (23) |
| item_#_nationalTax | Amount of national tax or value added tax for countries in which more than one tax is applied. Provide this value if item_#_ nationalTax differs from item_#_ taxAmount. If you do not provide this value, CyberSource assumes that item_#_ nationalTax is equal to item_#_ taxAmount. See "Numbered Elements," page 14. | Level II ■ Visa ■ Mastercard | String (15) |
| item_#_taxAmount | Total tax to apply to the product. This value cannot be negative. See "Numbered Elements," page 14. The item_#_taxAmount field is additive. For example, if you send one item with unitPrice of 10.00 and taxAmount of 0.80, and you send another item with unitPrice of 20.00 and taxAmount of 1.60, the total amount authorized will be for 32.40, not 30.00 with 2.40 of tax included. The item_#_taxAmount and the item_#_unitPrice must be in the same currency. | Level II Visa (R) Mastercard (R) | String (15) |
| item_#_unitPrice | Per-item price of the product. This value cannot be negative. You can include a decimal point (.), but you cannot include any other special characters. CyberSource truncates the amount to the correct number of decimal places. See "Numbered Elements," page 14. | Level II Visa (R) Mastercard (R) | String (15) |
| item_#_vatRate | Rate used to calculate VAT. See "Numbered Elements," page 14. | Level II ■ Visa ■ Mastercard | String (5) |

Transaction Requirements



When you send a capture or credit request with Level II or Level III data or both, you must include the required fields for every capture or credit request. For information about the non-Level-II and non-Level-III fields required for capture and credit requests, see the *Credit Card Services User Guide*.

Interchange Rates



This document provides guidelines that indicate which fields are needed in order to obtain the best interchange rates. These guidelines are based on industry information. CyberSource recommends that you contact your acquirer for the most current information because the payment card companies can change their requirements at any time.

Data Types

Fields for amounts and tax rates use a string data type. However, you should include only numbers and a decimal point in those fields.

Processor Specification

The specification that CyberSource used to implement Level II and Level III processing for GPN is the *Global Payments Big Batch Message Specification, Version 2006.001*, January 2006.

Table 12 Order-Level Fields for GPN

| CyberSource Field Name | GPN Field Name | Description | Used By: Required (R) or Optional (O) | Data Type & Length |
|-----------------------------------|----------------------------|---|---|----------------------------|
| ccCaptureService_ | No | Flag that indicates the capture request | Level III | String (1) |
| purchasingLevel | corresponding GPN field | includes Level III data. Set the value for this field to 3. For more information, see "Requesting Captures and Credits with Level III Data," page 16. | Visa (R for captures; not used for credits) | |
| | | | Mastercard (R for captures; not used for credits) | |
| ccCreditService_ | No | Flag that indicates the credit request | Level III | String (1) |
| purchasingLevel | corresponding GPN field | • | Visa (R for credits; not used for captures) | |
| | | | Mastercard (R for credits; not used for captures) | |
| invoiceHeader_ | Merchant VAT | Your government-assigned tax | Level III | String (20) |
| merchantVAT RegistrationNumber | Number | identification number. | ■ Visa (O) | |
| 1 (cgisti attorii varribci | | | Mastercard (O) | |
| invoiceHeader_ | Order Date | Date the order was processed. | Level III | String (6) |
| purchaserOrderDate | | Format: YYMMDD. | ■ Visa (O) | |
| | | | Mastercard (O) | |
| invoiceHeader_ | Customer VAT | Customer's government-assigned tax | Level III | Visa: |
| purchaserVAT | Number | identification number. | ■ Visa (O) | String (15) |
| RegistrationNumber | | | Mastercard (O) | Mastercard: String (20) |
| invoiceHeader_ | Summary | International description code of the | Level III | String (4) |
| summaryCommodity Code | Commodity Code | overall order's goods or services. Contact your acquirer or GPN for a list of codes. | ■ Visa (O) | |
| | and Commodity Code | This field might be required for Level III processing depending on your merchant category code. Check with your processor. | ■ Mastercard (O) | |

Table 12 Order-Level Fields for GPN (Continued)

| CyberSource Field Name | GPN Field Name | Description | Used By: Required (R) or Optional (O) | Data Type & Length |
|----------------------------|--|--|---|-----------------------|
| invoiceHeader_ | Item | Text description of the item. | Level III | String (25) |
| supplierOrder Reference | Description | | ■ Visa (O) | |
| TREFERENCE | | | ■ Mastercard (O) | |
| invoiceHeader_ | Market Data - | Value used by your customer to identify | Level II | Visa: |
| userPO | "m" Customer | the order. This value is typically a | ■ Visa (R) | String (17) |
| | Code and purchase order number. Reference Number | ■ Mastercard (R) | Mastercard: String (25) | |
| | | | Level III | |
| | ■ Visa (R) | | | |
| | | | ■ Mastercard (R) | |
| otherTax_ | Other Tax | Total amount of alternate tax for the order. | Level III | String (12) |
| alternateTaxAmount | | Maximum amount is 99,999.99. | ■ Visa (O) | |
| otherTax_ | National Tax | ional Tax National tax for the order. Maximum amount is 99,999.99. | Level III | String (12) |
| nationalTaxAmount | | | ■ Visa (O) | |
| otherTax_ | VAT/Tax | Tax amount applied to freight / shipping | Level III | String (12) |
| vatTaxAmount | Amount (Freight/ Shipping) | costs. | ■ Visa (O) | |
| otherTax_ | VAT/Tax Rate | Tax rate applied to freight / shipping costs. | Level III | String (4) |
| vatTaxRate | (Freight/ Shipping) | Example 0.040 (=4%) | ■ Visa (O) | |
| purchaseTotals_ | Discount | Total discount applied to the order. For | Level III | String (12) |
| discountAmount | Amount | example: a 20.00 discount off the order total. Maximum amount is 99,999.99. | ■ Visa (O) | |
| | | This field might be required for Level III processing depending on your merchant category code. Check with your processor. | ■ Mastercard (O) |) |
| purchaseTotals_ | Duty Amount | Total charges for any import or export | Level III | String (12) |
| dutyAmount | | duties included in the order. Maximum | ■ Visa (O) | |
| | | amount is 99,999.99. | ■ Mastercard (O) | |
| purchaseTotals_ | Freight Amount | Total freight or shipping and handling | Level III | String (12) |
| freightAmount | | charges for the order. Maximum amount is | ■ Visa (O) | |
| | | 99,999.99. When you include this field in your request, you must also include purchaseTotals_grandTotalAmount. | ■ Mastercard (O) | |

Table 12 Order-Level Fields for GPN (Continued)

| CyberSource Field Name | GPN Field Name | Description | Used By: Required (R) or Optional (O) | Data Type & Length |
|---------------------------|-----------------------------------|---|---|-----------------------|
| shipFrom_ postalCode | Ship From Postal/Zip Code | Postal code for the address from which the goods are shipped, which is used to determine nexus. The default is the postal code associated with your CyberSource account. The postal code must consist of 5 to 9 digits. | Level III Visa (O) Mastercard (O) | String (10) |
| | | If the billing country is the U.S., the 9-digit postal code must follow this format: [5 digits][dash][4 digits] | | |
| | | Example 12345-6789 | | |
| | | If the billing country is Canada, the 6-digit postal code must follow this format: [alpha][numeric][alpha] [space][numeric][alpha] [numeric] | | |
| | | Example A1B 2C4 | | |
| shipTo_country | Destination Country Code | Country of the shipping address. Use the two-character ISO Standard Country Codes. | Level III | String (2) |
| | | | ■ Visa (O) | |
| | | | ■ Mastercard (O) | |
| shipTo_postalCode | Destination Postal/Zip Code | Postal code for the shipping address. The postal code must consist of 5 to 9 digits. | Level III Visa (O) | String (10) |
| | | When the shipping country is the U.S., the 9-digit postal code must follow this format: [5 digits][dash][4 digits] | ■ Mastercard (O) | |
| | | Example 12345-6789 | | |
| | | When the shipping country is Canada, the 6-digit postal code must follow this format: [alpha][numeric][alpha][space] [numeric][alpha][numeric] | | |
| | | Example A1B 2C3 | | |
| | | This value is the same as the value for shipFrom_postalCode when your customer takes possession of the items at your location. | | |
| shipTo_state | Destination | State or province of the shipping address. | Level III | String (2) |
| | State/Province Code | vince Use the State, Province, and Territory Codes for the United States and Canada. | ■ Visa (O) | |
| | Code | | Mastercard (O) | |

Table 13 Item-Level Fields for GPN

| CyberSource Field Name | GPN Field Name | Description | Used By: Required (R) or Optional (O) | Data Type & Length |
|-----------------------------|----------------------------------|--|---|--|
| item_#_ alternateTaxRate | Tax Rate N | Tax rate applied to the item. See "Numbered Elements," page 14. | Level III Visa (O) Mastercard (O) | String (5) |
| item_#_ commodityCode | Item Commodity Code | International description code used to classify the item. Contact your acquirer or GPN for a list of codes. See "Numbered Elements," page 14. This field might be required for all | Level III Visa (Required for Level III interchange) Mastercard | Visa: String (12) Mastercard: String (15) |
| | | Level III processing depending on your merchant category code. Check with your processor. | (Required for Level III interchange) | |
| item_#_ discountAmount | Item Discount | Discount applied to the item. Maximum amount is 99,999.99. See "Numbered Elements," page 14. This field might be required for all Level III processing depending on your merchant category code. Check with your processor. | Level III Visa (Required for Level III interchange) Mastercard (Required for Level III interchange) | String (12) |
| item_#_discountRate | Item Discount Rate | Rate the item is discounted. See "Numbered Elements," page 14. Example 5.25 (=5.25%) | Level III Mastercard (Required for Level III interchange) | String (5) |
| item_#_invoiceNumber | No corresponding GPN field | Field to support an invoice number for a transaction. You must specify the number of line items that will include an invoice number. By default, the first line item will include an invoice number field. The invoice number field can be included for up to 10 line items. See "Numbered Elements," page 14. | Level III Visa (O) Mastercard (O) | String (23) |

Table 13 Item-Level Fields for GPN (Continued)

| CyberSource Field Name | GPN Field Name | Description | Used By: Required (R) or Optional (O) | Data Type & Length |
|---------------------------|-------------------|--|---|--|
| item_#_productCode | Product Code | Type of product. This value is used to determine the category that the product is in: electronic, handling, physical, service, or shipping. The default value is default. See Appendix B, "Product Codes," on page 101 for a list of valid values. See "Numbered Elements," page 14. | Level III Visa (Required for Level III interchange) Mastercard (Required for Level III interchange) | Visa: String (12) Mastercard: String (15) |
| | | For ccAuthService, when you set this field to a value other than default or any of the values related to shipping or handling, the item_#_quantity, item_#_productName, and item_#_productSKU fields are required. | | |
| item_#_quantity | Item Quantity | Number of units of the item purchased. Must be a whole number. If you do not provide this value, CyberSource uses 1. See "Numbered Elements," page 14. | Level III | Integer (12) |
| | | | Visa (Required for Level III interchange) | |
| | | | Mastercard (Required for Level III interchange) | |

Table 13 Item-Level Fields for GPN (Continued)

| CyberSource Field Name | GPN Field Name | Description | Used By: Required (R) or Optional (O) | Data Type & Length |
|---------------------------|----------------------------|---|---|---------------------------|
| item_#_taxAmount | Level II: Amount 2 | Total tax to apply to the product. This value cannot be negative. | Level II Visa (O) | Level II: String (10) |
| | Level III: Tax Amount N | The item_#_taxAmount field is additive. For example, if you send one item with unitPrice of 10.00 and taxAmount of 0.80, and you send another item with unitPrice of 20.00 and taxAmount of 1.60, the total amount authorized will be for 32.40, not 30.00 with 2.40 of tax included. The item_#_ taxAmount and the item_#_ unitPrice must be in the same currency. Maximum amount is 99,999.99. See "Numbered Elements," page 14. For Level II, if you do not include this field in your request, CyberSource sets this field to the default value of 0. For Level II, this value is the sales tax. For Visa Level II transactions, this value must be zero or must be between 0.1% | ■ Mastercard (O) Level III ■ Visa (O) ■ Mastercard (O) | Level III: String (12) |
| item_#_unitOfMeasure | Unit of Measure | unit of measure for the item. See "Numbered Elements," page 14. | Level III Visa (Required for Level III interchange) Mastercard (Required for Level III interchange) | String (12) |

Table 13 Item-Level Fields for GPN (Continued)

| CyberSource Field Name | GPN Field Name | Description | Used By: Required (R) or Optional (O) | Data Type & Length |
|---------------------------|-------------------|--|--|-----------------------|
| item_#_unitPrice | Unit Price | Per-item price of the product. This value cannot be negative. You can include a decimal point (.), but you cannot include any other special characters. CyberSource truncates the amount to the correct number of decimal places. Maximum amount is 99,999.99. See "Numbered Elements," page 14. | Level II Visa (O) Mastercard (O) Level III Visa (Required for Level III interchange) | String (10) |
| | | Important For a Level III transaction, this value cannot be zero (0). | Mastercard (Required for Level III | |
| | | Note For each item that you include in a request, you must include an item_#_unitPrice field. | interchange) | |

8

Transaction Requirements



When you send a capture request with Level II and Level III data, you must include the required fields for every capture request. For credit requests, RBS WorldPay Atlanta does not require you to indicate the request is for Level II or Level III processing. For information about the non-Level-II and non-Level-III fields required for capture and credit requests, see the *Credit Card Services User Guide*.

Interchange Rates



This document provides guidelines that indicate which fields are needed in order to obtain the best interchange rates. These guidelines are based on industry information. CyberSource recommends that you contact your acquirer for the most current information because the payment card companies can change their requirements at any time.

Data Types

Processor Specification

The specification that CyberSource used to implement Level III processing for RBS WorldPay Atlanta is *RBS Worldpay API message specification, version 7.1.0*, June 2, 2009.

Table 14 Order-Level Fields for RBS WorldPay Atlanta

| CyberSource Field Name | RBS WorldPay Atlanta Field Name | Description | Used By: Required (R) or Optional (O) | Data Type & Length |
|--|--|---|---|-----------------------|
| ccCaptureService_ purchasingLevel | No corresponding RBS WorldPay Atlanta field | Flag that indicates the capture request includes Level III data. Set the value for this field to 3. For more information, see "Requesting Captures and Credits with Level III Data," page 16. | Level III Visa (R for captures; not used for credits) | String (1) |
| | | | Mastercard (R for captures; not used for credits) | |
| invoiceHeader_ merchantVAT Registration Number | Merchant VAT Number | Your government-assigned tax identification number. | Level III Visa (O) | String (20) |
| invoiceHeader_ purchaserOrder Date | Order Date | Date the order was processed. Format: YYMMDD. | Level III Visa (O) | Numeric (6) |
| invoiceHeader_ purchaserVAT Registration Number | Customer VAT Number | Customer's government-assigned tax identification number. | Level III Visa (O) | String (13) |
| invoiceHeader_ s u m m a r y CommodityCode | Commodity Code | International description code of the overall order's goods or services. Contact your acquirer for a list of codes. | Level III Visa (O) | String (4) |

Table 14 Order-Level Fields for RBS WorldPay Atlanta (Continued)

| CyberSource Field Name | RBS WorldPay Atlanta Field Name | Description | Used By: Required (R) or Optional (O) | Data Type & Length |
|---|--|--|--|-----------------------|
| invoiceHeader_ Ta taxable | Tax Exempt | Flag that indicates whether an order is taxable. Possible values: | Level II Visa (R) | String (5) |
| | | ■ true: the order is taxable. | Mastercard (R) | |
| | | false: the order is not taxable. | • Mastercard (IX) | |
| | | Note This field is required for Visa and Mastercard transactions that involve Level II data. If item_#_taxAmount equals 0, set this field to false. If item_#_taxAmount is greater than 0, set this field to true. | Level III ■ Visa (R) ■ Mastercard (R) | |
| invoiceHeader_ userPO | PC2 Customer ID | Value used by your customer to identify the order. This value is typically a purchase order number. | Level II Visa (R for purchase/ procurement cards; otherwise O. Do not use all zeros or nines.) Mastercard (R for purchase/ procurement cards; otherwise O. Do not use all zeros or nines.) Level III Visa (R for purchase/ procurement cards; otherwise O. Do not use all zeros or nines.) Mastercard (R for purchase/ procurement cards; otherwise O. Do not use all zeros or nines.) Mastercard (R for purchase/ procurement cards; otherwise O. Do not use all zeros or nines.) | String (25) |
| invoiceHeader_ vatInvoice Reference Number | VAT Invoice Number | VAT invoice number associated with the transaction. | Level III Visa (O) | String (15) |

Table 14 Order-Level Fields for RBS WorldPay Atlanta (Continued)

| CyberSource Field Name | RBS WorldPay Atlanta Field Name | Description | Used By: Required (R) or Optional (O) | Data Type & Length |
|----------------------------------|--|--|---|-----------------------|
| otherTax_ | VAT Tax Amount | Total amount of alternate tax for the order. | Level III | String (8) |
| alternateTaxAmount | | | ■ Visa (O) | |
| | | | ■ Mastercard (O) | |
| otherTax_ | Alternate Tax Indicator | Flag that indicates whether the alternate tax amount (otherTax_ alternateTaxAmount) is included in the request. Possible values: | Level III | String (1) |
| alternateTax Indicator | | | ■ Mastercard (R) | |
| | | 0: alternate tax amount is not included in the request. | | |
| | | 1: alternate tax amount is included in the request. | | |
| otherTax_ | VAT Tax Amount | Total amount of VAT or other tax included in the order. | Level III | Numeric (8) |
| vatTaxAmount | | | ■ Visa (O) | |
| otherTax_ | Tax Rate | Rate of VAT or other tax for the order. | Level III | Numeric (4) |
| vatTaxRate | | Example 0.0400 (=4%) | ■ Visa (O) | |
| | | Valid range: 0.0001 to 0.9999 (0.01% to 99.99%) | | |
| purchaseTotals_ | Discount | Total discount applied to the order. For | Level III | Numeric (8) |
| discountAmount | Amount | example: a 20.00 discount off the order total. | ■ Visa (O) | |
| purchaseTotals_ dutyAmount | Duty Amount | Total charges for any import or export duties included in the order. | Level III | Numeric (8) |
| | | | ■ Visa (O) | |
| | | | Mastercard (O) | |
| purchaseTotals_ freightAmount | Freight Amount | Total freight or shipping and handling | Level III | Numeric (8) |
| | | charges for the order. When you include this field in your request, you must also include purchaseTotals_ grandTotalAmount. | ■ Visa (O) | |
| | | | Mastercard (O) | |
| purchaseTotals_ | Amount | Grand total for the entire capture or credit request. | Level III | String (15) |
| grandTotalAmount | | | ■ Visa (R) | |
| | | | Mastercard (R) | |

Table 14 Order-Level Fields for RBS WorldPay Atlanta (Continued)

| CyberSource Field Name | RBS WorldPay Atlanta Field Name | Description | Used By: Required (R) or Optional (O) | Data Type & Length |
|---------------------------|--|---|--|-----------------------|
| shipFrom_ postalCode | Origin Zip | Postal code for the address from which the goods are shipped, which is used to determine nexus. The default is the postal code associated with your CyberSource account. The postal code must consist of 5 to 9 digits. | Level III Visa (Recommended) Mastercard (Recommended) | String (10) |
| | | If the billing country is the U.S., the 9-digit postal code must follow this format: [5 digits][dash][4 digits] | | |
| | | Example 12345-6789 | | |
| | | If the billing country is Canada, the 6-digit postal code must follow this format: [alpha][numeric][alpha] [space][numeric][alpha] [numeric] | | |
| | | Example A1B 2C4 | | |
| shipTo_country | Destination | Country of the shipping address. Use the | Level III | String (3) |
| С | Country Code | two-character ISO Standard Country Codes. | Visa (Recommended for best rate) | |
| | | If the request does not include this value, CyberSource uses the billTo_country value. If you do not provide either of these values, CyberSource uses the default value of US. | Mastercard (Recommended for best rate) | |

Table 14 Order-Level Fields for RBS WorldPay Atlanta (Continued)

| CyberSource Field Name | RBS WorldPay Atlanta Field Name | Description | Used By: Required (R) or Optional (O) | Data Type & Length |
|---------------------------|--|--|--|-----------------------|
| shipTo_postalCode | Destination Zip | Postal code for the shipping address. The postal code must consist of 5 to 9 digits. | Level III Visa | String (10) |
| | | When the shipping country is the U.S., the 9-digit postal code must follow this | (Recommended for best rate) | & Length |
| | | format: [5 digits][dash][4 digits] | Mastercard (Recommended | |
| | | Example 12345-6789 | ntry is Canada, must follow this [space] | |
| | | When the shipping country is Canada, the 6-digit postal code must follow this format: [alpha][numeric][alpha][space] [numeric][alpha][numeric] | | |
| | | Example A1B 2C3 | | |
| | | If the postal code for the shipping address is not included in the request message, CyberSource uses the postal code for the billing address. If the postal code for the billing address is not included in the request message, the postal code for the shipping address is required. | | |

Item-Level Fields

Table 15 Item-Level Fields for RBS WorldPay Atlanta

| CyberSource Field Name | RBS WorldPay Atlanta Field Name | Description | Used By: Required (R) or Optional (O) | Data Type & Length |
|------------------------------|--|--|---|-----------------------|
| item_#_alternateTaxID | Alternate Tax ID | Your tax ID number to use for the alternate tax amount. You must provide this value if you include Alternate Tax Amount in the request. Providing this value is optional if you do not Alternate Tax Amount. See "Numbered Elements," page 14. | Level III Mastercard (See description) | String (15) |
| item_#_ commodityCode | Commodity Code | International description code used to classify the item. Contact your acquirer for a list of codes. See "Numbered Elements," page 14. | Level III ■ Visa (R) | String (12) |
| item_#_ discountAmount | Discount Amount | Discount applied to the item. See "Numbered Elements," page 14. | Level III Visa (O) Mastercard (O) | Numeric (8) |
| item_#_discountRate | Discount Rate | Rate the item is discounted. See "Numbered Elements," page 14. Example 5.25 (=5.25%) | Level III Mastercard (O) | Numeric (5) |
| item_#_ grossNetIndicator | Gross Net Indicator | Flag that indicates whether the tax amount is included in the Line Item Total. See "Numbered Elements," page 14. Possible values: | Level III ■ Mastercard (R) | String (1) |
| | | Y: item amount includes tax amount N: item amount does not include tax amount | | |
| item_#_invoiceNumber | No corresponding RBS WorldPay Atlanta field | Field to support an invoice number for a transaction. You must specify the number of line items that will include an invoice number. By default, the first line item will include an invoice number field. The invoice number field can be included for up to 10 line items. See "Numbered Elements," page 14. | Level III Visa (O) Mastercard (O) | String (23) |

Table 15 Item-Level Fields for RBS WorldPay Atlanta (Continued)

| CyberSource Field Name | RBS WorldPay Atlanta Field Name | Description | Used By: Required (R) or Optional (O) | Data Type & Length |
|---------------------------|--|---|---|---|
| item_#_productCode | Product Code | Type of product. This value is used to determine the category that the product is in: electronic, handling, physical, service, or shipping. The default value is default. See Appendix B, "Product Codes," on page 101 for a list of valid values. See "Numbered Elements," page 14. | Level III Visa (R) Mastercard (R) | String (12) |
| | | For ccAuthService, when you set this field to a value other than default or any of the values related to shipping or handling, the item_#_quantity, item_#_productName, and item_#_productSKU fields are required. | | |
| item_#_productName | Description | Text description of the item. See "Numbered Elements," page 14. | Level III Visa (R) Mastercard (R) | String (35) |
| item_#_quantity | Quantity | Number of units of the item purchased. This value must be a whole number. If you do not provide this value, CyberSource uses 1. See "Numbered Elements," page 14. | Level III Visa (R) Mastercard (R) | Visa: Numeric (10) Mastercard: Numeric (8) |
| item_#_taxAmount | Tax Amount | Total tax to apply to the product. This value cannot be negative. If no tax is present, you can send in a value of 0. See "Numbered Elements," page 14. | Level II Visa (R) Mastercard (R) | Numeric (8) |
| | | The item_#_taxAmount field is additive. For example, if you send one item with unitPrice of 10.00 and taxAmount of 0.80, and you send another item with unitPrice of 20.00 and taxAmount of 1.60, the total amount authorized will be for 32.40, not 30.00 with 2.40 of tax included. The item_#_ taxAmount and the item_#_ unitPrice must be in the same currency. | Level III Visa (R) Mastercard (R) | |

Table 15 Item-Level Fields for RBS WorldPay Atlanta (Continued)

| CyberSource Field Name | RBS WorldPay Atlanta Field Name | Description | Used By: Required (R) or Optional (O) | Data Type & Length |
|---------------------------|--|---|---|-----------------------|
| item_#_taxRate | Tax Rate | Tax rate applied to the item. See "Numbered Elements," page 14. | Level III Mastercard (O) | Numeric (4) |
| | | Valid range is 0.0001 to 0.9999 (0.01% to 99.99%). The value can also be zero. | (0) | |
| item_#_taxTypeApplied | Тах Туре | Type of tax being applied to the item. See "Numbered Elements," page 14. Possible values: | Level III ■ Mastercard (R) | String (4) |
| | | ■ 0000: unknown tax type | | |
| | | 0001: federal/national sales tax | | |
| | | ■ 0002: state sales tax | | |
| | | ■ 0003: city sales tax | | |
| | | ■ 0004: local sales tax | | |
| | | ■ 0005: municipal sales tax | | |
| | | ■ 0006: other tax | | |
| | | ■ 0010: value-added tax | | |
| | | ■ 0011: goods and services tax | | |
| | | 0012: provincial sales tax | | |
| | | 0013: harmonized sales tax | | |
| | | 0014: Quebec sales tax (QST) | | |
| | | ■ 0020: room tax | | |
| | | ■ 0021: occupancy tax | | |
| | | ■ 0022: energy tax | | |
| | | Blank: tax not supported on line item. | | |
| item_#_totalAmount | Line Total | Total purchase amount for the | Level III | Numeric (8) |
| | | item. Normally calculated as the unit price x quantity. See | ■ Visa (R) | |
| | | "Numbered Elements," page 14. | Mastercard (R. Do not use all zeros or spaces.) | |

Table 15 Item-Level Fields for RBS WorldPay Atlanta (Continued)

| CyberSource Field Name | RBS WorldPay Atlanta Field Name | Description | Used By: Required (R) or Optional (O) | Data Type & Length |
|---------------------------|--|--|---|---|
| item_#_unitOfMeasure | Unit Of Measure | Unit of measure, or unit of measure code, for the item. See Appendix A, "Codes for Units of Measurement," on page 94. See "Numbered Elements," page 14. | Level III Visa (R) Mastercard (R) | String (12) |
| item_#_unitPrice | Unit Cost | Per-item price of the product. This value cannot be negative. You can include a decimal point (.), but you cannot include any other special characters. CyberSource truncates the amount to the correct number of decimal places. See "Numbered Elements," page 14. Important For a Level III transaction, this value cannot be zero (0). | Level III Visa (R) Mastercard (R) | Visa: Numeric (10) Mastercard: Numeric (8) |

Examples

Example 6 Level III Capture Request for Mastercard with Name-Value Pairs

```
ccCaptureService_authRequestID=2635119692550000139284
purchaseTotals_grandTotalAmount=1
merchantID=infodev
item_0_discountAmount=0
shipTo_country=USA
shipTo_city=New Haven
item_0_taxTypeApplied=0001
ccCaptureService_run=true
shipFrom_state=CT
billTo_country=USA
item_0_unitOfMeasure=EA
shipFrom_city=New Haven
shipFrom_country=USA
billTo_postalCode=30350
invoiceHeader_userPO=XRWEFGjdfgkdjheior
item_0_taxRate=0.99
item_0_productCode=abcdsgahstde
merchantReferenceCode=1000000145
shipFrom_postalCode=12345-1234
ccCaptureService_purchasingLevel=3
item_0_quantity=1
item_0_taxAmount=0.34
item_0_unitPrice=0.66
item_0_productName=sofa
shipTo_state=CT
item_0_discountRate=0
item_0_discountIndicator=N
shipTo_street1=234 wall street
invoiceHeader_taxable=true
item_0_grossNetIndicator=Y
item_0_totalAmount=1
otherTax_alternateTaxAmount=1
billTo_city=Atlanta
billTo_street1=600 Morgan Falls Rd
shipTo_postalCode=06511
billTo_state=GA
shipFrom_street1=234 wall street
```

Example 7 Level III Capture Request for Mastercard with XML

```
<requestMessage xmlns="urn:schemas-cybersource-com:transaction-data-1.49">
  <merchantID>infodev</merchantID>
  <merchantReferenceCode>1000000145</merchantReferenceCode>
  <invoiceHeader>
     <userPO>XRWEFGjdfgkdjheior</userPO>
     <taxable>true</taxable>
  </invoiceHeader>
  <billTo>
     <street1>600 Morgan Falls Rd</street1>
      <city>Atlanta</city>
     <state>GA</state>
      <postalCode>30350</postalCode>
     <country>USA</country>
  </billTo>
  <shipTo>
     <street1>234 wall street
     <city>New Haven
     <state>CT</state>
     <postalCode>06511</postalCode>
      <country>USA</country>
  </shipTo>
  <shipFrom>
     <street1>234 wall street
     <city>New Haven</city>
     <state>CT</state>
     <postalCode>12345-1234/postalCode>
      <country>USA</country>
  </shipFrom>
   <item id="0">
      <unitPrice>0.66</unitPrice>
      <quantity>1</quantity>
     oductCode>abcdsgahstde
      oductName>sofa
     <taxAmount>0.34</taxAmount>
     <unitOfMeasure>EA</unitOfMeasure>
     <taxRate>0.99</taxRate>
      <totalAmount>1</totalAmount>
      <discountAmount>0</discountAmount>
     <discountRate>0</discountRate>
     <grossNetIndicator>Y</grossNetIndicator>
     <taxTypeApplied>0001</taxTypeApplied>
      <discountIndicator>N</discountIndicator>
  </item>
  <purchaseTotals>
      <grandTotalAmount>1</grandTotalAmount>
  </purchaseTotals>
   <otherTax>
      <alternateTaxAmount>1</alternateTaxAmount>
  </otherTax>
  <ccCaptureService run="true">
      <authRequestID>2635118302700000139284</authRequestID>
      <purchasingLevel>3</purchasingLevel>
  </ccCaptureService>
</requestMessage>
```



CyberSource does not support Level II processing for the American Express card type on TSYS Acquiring Solutions.

Transaction Requirements



When you send a capture or credit request with Level II or Level III data or both, you must include the required fields for every capture or credit request. For information about the non-Level-II and non-Level-III fields required for capture and credit requests, see the *Credit Card Services User Guide*.

Interchange Rates



This document provides guidelines that indicate which fields are needed in order to obtain the best interchange rates. These guidelines are based on industry information. CyberSource recommends that you contact your acquirer for the most current information because the payment card companies can change their requirements at any time.

Data Types

Fields for amounts and tax rates use a string data type. However, you should include only numbers and a decimal point in those fields.

Processor Specification

The specification that CyberSource used to implement Level III processing for TSYS Acquiring Solutions (Vital) is *Vital's EIS 1081, Level III Line Item Processing, version 6.4*, April 2004.

The records referenced are:

- Transaction Detail Record Optional Data; Groups 25, 26, and 27
- Visa Card Non-T&E and Fleet (Non-fuel) Line Item Detail Record
- Mastercard Non-T&E and Fleet (Non-fuel) Line Item Detail Record

Order-Level Fields

Table 16 Order-Level Fields for TSYS Acquiring Solutions

| CyberSource Field Name | TSYS Acquiring Solutions Field Name | Description | Used By: Required (R) or Optional (O) | Data Type & Length |
|---|---|--|---|-----------------------|
| ccCaptureService_ purchasingLevel | No corresponding | Flag that indicates the capture request includes Level III data. Set the value for | Level III | String (1) |
| F-11-01-11-01-11-01-11-01-11-01-11-01-11-01-11-01-11-01-11-01-11-01-11-01-11-01-11-01-11-01-11-01-11-01-11-01 | TSYS Acquiring Solutions field | this field to 3. For more information, see "Requesting Captures and Credits with Level III Data," page 16. | Visa (R for captures; not used for credits) | |
| | | 2010/ III Bala, page 10. | Mastercard (R for captures; not used for credits) | |
| ccCreditService_ | No | Flag that indicates the credit request | Level III | String (1) |
| purchasingLevel | corresponding TSYS Acquiring Solutions field | includes Level III data. Set the value for this field to 3. For more information, see "Requesting Captures and Credits with Level III Data," page 16. | Visa (R for credits; not used for captures) | |
| | | | Mastercard (R for credits; not used for captures) | |
| invoiceHeader_ | Merchant VAT | Your government-assigned tax | Level III | String (20) |
| merchantVAT Registration Number | Registration Number | identification number. | ■ Visa (O) | |
| invoiceHeader_ | Order Date | Date the order was processed. | Level III | String (6) |
| purchaserOrderDate | | Format: YYMMDD. | ■ Visa (O) | |

Table 16 Order-Level Fields for TSYS Acquiring Solutions (Continued)

| CyberSource Field Name | TSYS Acquiring Solutions Field Name | Description | Used By: Required (R) or Optional (O) | Data Type & Length |
|---|---|--|---|-----------------------|
| invoiceHeader_ | Customer VAT | Customer's government-assigned tax | Level III | String (13) |
| purchaserVAT Registration Number | Registration Number | identification number. | ■ Visa (O) | |
| invoiceHeader_ | Summary | International description code of the | Level III | String (4) |
| summaryCommodity Code | Commodity Code | overall order's goods or services. Contact your acquirer for a list of codes. | ■ Visa (R) | |
| invoiceHeader_ | No | Value used by your customer to identify | Level II | String (25) |
| userPO | corresponding TSYS Acquiring Solutions field | the order. This value is typically a purchase order number. | ■ Visa (R for purchase/ procurement cards; otherwise O. Do not use all zeros or nines.) | |
| | | | Mastercard (R for purchase/ procurement cards; otherwise O. Do not use all zeros or nines.) | |
| | | | Level III | |
| | | | Visa (R for purchase/ procurement cards; otherwise O. Do not use all zeros or nines.) | |
| | | | Mastercard (R for purchase/ procurement cards; otherwise O. Do not use all zeros or nines.) | |
| invoiceHeader_ vatInvoiceReference Number | Unique VAT Invoice Reference Number | VAT invoice number associated with the transaction. | Level III Visa (O) | String (15) |

Table 16 Order-Level Fields for TSYS Acquiring Solutions (Continued)

| CyberSource Field Name | TSYS Acquiring Solutions Field Name | Description | Used By: Required (R) or Optional (O) | Data Type & Length | |
|--|--------------------------------------|---|---|-----------------------|------------|
| otherTax_ | Alternate Tax | te Tax Total amount of alternate tax for the | Level III | String (10) | |
| alternateTaxAmount | Amount | order. | ■ Mastercard (O) | | |
| otherTax_ alternateTax Indicator | Alternate Tax Amount Indicator | Flag that indicates whether the alternate tax amount (otherTax_ alternateTaxAmount) is included in the request. Possible values: | Level III Mastercard (O) | String (1) | |
| | | 0: alternate tax amount is not included in the request. | | | |
| | | 1: alternate tax amount is included in the request. | | | |
| otherTax_ | Local Tax | Sales tax for the order. | Level III | String (13) | |
| localTaxAmount | | | ■ Visa (O) | | |
| | | | ■ Mastercard (O) | | |
| otherTax_ | Local Tax Included Flag | 3 | _ | Level III | String (1) |
| localTaxIndicator | | Possible values: | ■ Visa (O) | | |
| | | 0: local sales tax not included | Mastercard (O) | | |
| | | ■ 1: local sales tax included | | | |
| | | ■ 2: tax exempt order | | | |
| | | If you do not provide this value, CyberSource sets this field to one of the following values: | | | |
| | | 0 if you set Local Tax = 0 or do not provide a Local Tax | | | |
| | | ■ 1 if you set Local Tax > 0 | | | |
| | | Important For GSA (General Services Administration) purchasing cards, tax is required in order to qualify for Level III when processing with TSYS Acquiring Solutions. Therefore, the only valid Level III value for this field for GSA cards is 1. If you have any questions or concerns, contact your acquirer. | | | |
| otherTax_ | National Tax | National tax for the order. | Level III | String (13) | |
| nationalTaxAmount | Amount | | ■ Visa (O) | | |
| | | | Mastercard (O) | | |

Table 16 Order-Level Fields for TSYS Acquiring Solutions (Continued)

| CyberSource Field Name | TSYS Acquiring Solutions Field Name | Description | Used By: Required (R) or Optional (O) | Data Type & Length |
|-----------------------------------|-------------------------------------|--|---|-----------------------|
| otherTax_ nationalTaxIndicator | National Tax Included Flag | Flag that indicates whether a national tax is included in the order total. Possible values: | Level III Visa (O) | String (1) |
| | | 0: national tax not included | Mastercard (O) | _ |
| | | ■ 1: national tax included | | |
| | | If you do not provide this value, CyberSource sets this field to 1 if you provide a National Tax Amount greater than 0. | | |
| otherTax_ | VAT/Tax | Total amount of VAT or other tax | Level III | String (13) |
| vatTaxAmount | Amount | included in the order. | ■ Visa (O) | |
| otherTax_ | VAT/Tax Rate | Rate of VAT or other tax for the order. | Level III | String (6) |
| vatTaxRate | | Example 0.0400 (=4%) | ■ Visa (O) | |
| | | Valid range: 0.0001 to 0.9999 (0.01% to 99.99%) | | |
| purchaseTotals_ | Discount | | Level III | String (13) |
| discountAmount | Amount | example: a 20.00 discount off the order total. | ■ Visa (O) | |
| purchaseTotals_ | Duty Amount | Total charges for any import or export | Level III | String (13) |
| dutyAmount | | duties included in the order. | ■ Visa (O) | |
| | | | Mastercard (O) | |
| purchaseTotals_ | Freight | Total freight or shipping and handling | Level III | String (13) |
| freightAmount | Amount | charges for the order. When you include this field in your request, you must also | ■ Visa (O) | |
| | | include purchaseTotals_ grandTotalAmount. | Mastercard (O) | |
| purchaseTotals_ | No | | Level III | String (15) |
| grandTotalAmount | corresponding TSYS | credit request. | ■ Visa (R) | |
| | Acquiring Solutions field | | Mastercard (R) | |

Table 16 Order-Level Fields for TSYS Acquiring Solutions (Continued)

| CyberSource Field Name | TSYS Acquiring Solutions Field Name | Description | Used By: Required (R) or Optional (O) | Data Type & Length |
|---------------------------|--|---|---|-----------------------|
| shipFrom_ postalCode | Ship From Postal/ZIP Code | Postal code for the address from which the goods are shipped, which is used to determine nexus. The default is the postal code associated with your CyberSource account. The postal code must consist of 5 to 9 digits. If the billing country is the U.S., the 9-digit postal code must follow this format: [5 digits][dash][4 digits] Example 12345-6789 If the billing country is Canada, the 6-digit postal code must follow this format: [alpha][numeric][alpha] [space][numeric][alpha] [numeric] Example A1B 2C4 | Level III Visa (O) Mastercard (Recommended for best rate. Do not use all zeros or nines.) | String (10) |
| shipTo_country | Destination Country Code | Country of the shipping address. Use the two-character ISO Standard Country Codes. | Level III Visa (Recommended for best rate) Mastercard (O but recommended) | String (2) |

Table 16 Order-Level Fields for TSYS Acquiring Solutions (Continued)

| CyberSource Field Name | TSYS Acquiring Solutions Field Name | Description | Used By: Required (R) or Optional (O) | Data Type & Length |
|---------------------------|---|---|---|-----------------------|
| shipTo_postalCode | Destination Postal/ZIP Code | Postal code for the shipping address. The postal code must consist of 5 to 9 digits. When the shipping country is the U.S., the 9-digit postal code must follow this format: [5 digits][dash][4 digits] Example 12345-6789 When the shipping country is Canada, the 6-digit postal code must follow this format: [alpha][numeric][alpha][space] [numeric][alpha][numeric] Example A1B 2C3 This value is the same as the value for shipFrom_postalCode when your customer takes possession of the items | Level III Visa (Recommended for best rate) Mastercard (Recommended for best rate. Do not use all zeros or nines.) | String (10) |
| shipTo_state | No corresponding TSYS Acquiring Solutions field | at your location. The postal code must consist of 5 to 9 digits. State or province of the shipping address. Use the State, Province, and Territory Codes for the United States and Canada. | If any shipping information is in the request, this field is required for CyberSource front-end processing. | String (2) |

Item-Level Fields

Table 17 Item-Level Fields for TSYS Acquiring Solutions

| CyberSource Field Name | TSYS Acquiring Solutions Field Name | Description | Used By: Required (R) or Optional (O) | Data Type & Length |
|------------------------------|--|--|--|-----------------------|
| item_#_alternateTaxID | Alternate Tax | Your tax ID number to use for the | Level III | String (15) |
| | Identifier | alternate tax amount. You must provide this value if you include Alternate Tax Amount in the request. Providing this value is optional if you do not Alternate Tax Amount. See "Numbered Elements," page 14. | Mastercard (See description) | |
| item_#_ | Item | International description code | Level III | String (12) |
| commodityCode | Commodity Code | used to classify the item. Contact your acquirer for a list of codes. See "Numbered Elements," page 14. | ■ Visa (R) | |
| item_#_ | Visa: Discount Per Line Item | Discount applied to the item. See "Numbered Elements," page 14. | Level III | String (13) |
| discountAmount | | | ■ Visa (O) | |
| | Mastercard: Discount Amount | | ■ Mastercard (O) | |
| item_#_ discountIndicator | Discount | Flag that indicates whether the | Level III | String (1) |
| | Indicator | amount is discounted. See "Numbered Elements," page 14. Possible values: | ■ Mastercard (O) | |
| | | Y: amount is discounted | | |
| | | N: amount is not discounted | | |
| | | If you do not provide a value but you set Discount Amount to a value greater than zero, CyberSource sets this field to Y. | | |
| item_#_discountRate | Item Discount Rate | Rate the item is discounted. See "Numbered Elements," page 14. | Level III Mastercard (O) | String (6) |
| | | Example 5.25 (=5.25%) | | |

Table 17 Item-Level Fields for TSYS Acquiring Solutions (Continued)

| CyberSource Field Name | TSYS Acquiring Solutions Field Name | Description | Used By: Required (R) or Optional (O) | Data Type & Length |
|------------------------------|---|--|--|-----------------------|
| item_#_ grossNetIndicator | Net/Gross Indicator | Flag that indicates whether the tax amount is included in the Line Item Total. See "Numbered Elements," page 14. Possible values: Y: item amount includes tax amount N: item amount does not | Level III Mastercard (R) | String (1) |
| item_#_invoiceNumber | No corresponding TSYS Acquiring Solutions field | include tax amount Field to support an invoice number for a transaction. You must specify the number of line items that will include an invoice number. By default, the first line item will include an invoice number field. The invoice number field can be included for up to 10 line items. See "Numbered Elements," page 14. | Level III Visa (O) Mastercard (O) | String (23) |
| item_#_productCode | Product Code | Type of product. This value is used to determine the category that the product is in: electronic, handling, physical, service, or shipping. The default value is default. See Appendix B, "Product Codes," on page 101 for a list of valid values. See "Numbered Elements," page 14. | Level III Visa (O) Mastercard (Recommended for best rate. Do not use all zeros or spaces.) | String (12) |
| | | For ccAuthService, when you set this field to a value other than default or any of the values related to shipping or handling, the item_#_quantity, item_#_productName, and item_#_productSKU fields are required. | | |
| item_#_productName | Visa: Item Descriptor Mastercard: Item Description | Text description of the item. See "Numbered Elements," page 14. | Level III Visa (O) Mastercard (R. Do not use all zeros or spaces.) | String (35) |

Table 17 Item-Level Fields for TSYS Acquiring Solutions (Continued)

| CyberSource Field Name | TSYS Acquiring Solutions Field Name | Description | Used By: Required (R) or Optional (O) | Data Type & Length |
|---------------------------|--|---|--|--|
| item_#_quantity | Visa: Quantity Mastercard: Item Quantity | Number of units of the item purchased. Must be a whole number. If you do not provide this value, CyberSource uses 1. See "Numbered Elements," page 14. | Level III Visa (Recommended for best rate) Mastercard (Recommended for best rate. Do not use all zeros or spaces.) | Integer (12) |
| item_#_taxAmount | Visa: VAT/Tax Amount Mastercard: Tax Amount | Total tax to apply to the product. This value cannot be negative. See "Numbered Elements," page 14. | Level II Visa (R) Mastercard (R) | String (13) |
| | Tax Amount | The item_#_taxAmount field is additive. For example, if you send one item with unitPrice of 10.00 and taxAmount of 0.80, and you send another item with unitPrice of 20.00 and taxAmount of 1.60, the total amount authorized will be for 32.40, not 30.00 with 2.40 of tax included. The item_#_ taxAmount and the item_#_ unitPrice must be in the same currency. | Level III ■ Visa (R) ■ Mastercard (R) | |
| item_#_taxRate | Visa: VAT/Tax Rate Mastercard: Tax Rate Applied | Tax rate applied to the item. See "Numbered Elements," page 14. Valid range is 0.0001 to 0.9999 (0.01% to 99.99%). The value can also be zero. | Level III Visa (O) Mastercard (R) | String (6) |
| item_#_taxTypeApplied | Tax Type Applied | Type of tax being applied to the item. See "Numbered Elements," page 14. | Level III Mastercard (O) | String (4) |
| item_#_totalAmount | Visa: Line Item Total Mastercard: Extended Item Amount | Total purchase amount for the item. Normally calculated as the unit price x quantity. See "Numbered Elements," page 14. | Level III Visa (R) Mastercard (R. Do not use all zeros or spaces.) | Visa: String (13) Mastercard: String (10) |

Table 17 Item-Level Fields for TSYS Acquiring Solutions (Continued)

| CyberSource Field Name | TSYS Acquiring Solutions Field Name | Description | Used By: Required (R) or Optional (O) | Data Type & Length |
|---------------------------|--|---|--|-----------------------|
| item_#_unitOfMeasure | Visa: Unit of Measure/Code | Unit of measure, or unit of measure code, for the item. See | Level III | String (12) |
| | Mastercard: Item Unit of Measure | Appendix A, "Codes for Units of Measurement," on page 94. See "Numbered Elements," page 14. | Visa (O)Mastercard (R.Do not use all zeros or spaces.) | |
| item_#_unitPrice | Unit Cost | Per-item price of the product. This value cannot be negative. You can include a decimal point (.), but you cannot include any other special characters. CyberSource truncates the amount to the correct number of decimal places. See "Numbered Elements," page 14. | Level III Visa (R) Mastercard (R) | String (11) |
| | | Important For a Level III transaction, this value cannot be zero (0). | | |

Examples

Example 8 Level III Capture Request for Visa with Name-Value Pairs

```
merchantID=infodev
ccCaptureService_run=true
ccCaptureService_purchasingLevel=3
merchantReferenceCode=R98TV09EN200W
purchaseTotals_currency=USD
ccCaptureService_authRequestID=0839543530000172034078
invoiceHeader_userPO=4119480
shipTo_state=CA
shipTo_country=US
shipTo_postalCode=94043
item_0_unitPrice=59.95
item_0_quantity=10
item_0_productName=File Cabinet
item_0_taxAmount=49.46
item_0_totalAmount=648.96
item_1_unitPrice=4.99
item_1_quantity=50
item_1_productName=File Folders
item_1_productName=20.58
item_1_totalAmount=270.08
purchaseTotals_grandTotalAmount=919.04
```

Example 9 Level III Capture Request for Mastercard with XML

```
<requestMessage xmlns="urn:schemas-cybersource-com:transaction-data-1.23">
   <merchantID>infodev</merchantID>
   <merchantReferenceCode>R98TV09EN200W</merchantReferenceCode>
   <invoiceHeader>
      <userPO>4119480</userPO>
   </invoiceHeader>
   <shipTo>
      <state>CA</state>
      <postalCode>94041</postalCode>
      <country>US</country>
   </shipTo>
   <shipFrom>
      <postalCode>42651</postalCode>
   </shipFrom>
   <item id="0">
      <unitPrice>59.95</unitPrice>
      <quantity>10</quantity>
      cproductName>File Cabinet
      <taxAmount>49.46</taxAmount>
      <unitOfMeasure>each</unitOfMeasure>
      <taxRate>0.0825</taxRate>
      <totalAmount>648.96</totalAmount>
      <grossNetIndicator>Y</grossNetIndicator>
   </item>
   <item id="1">
      <unitPrice>4.99</unitPrice>
      <quantity>50</quantity>
      oductName>File Folders
      <taxAmount>20.58</taxAmount>
      <unitOfMeasure>each</unitOfMeasure>
      <taxRate>0.0825</taxRate>
      <totalAmount>270.08</totalAmount>
      <grossNetIndicator>Y</grossNetIndicator>
   </item>
   <purchaseTotals>
      <currency>USD</currency>
      <grandTotalAmount>919.04/grandTotalAmount>
   </purchaseTotals>
   <ccCaptureService run="true">
      <authRequestID>0839543530000172034078</authRequestID>
      <purchasingLevel>3</purchasingLevel>
   </ccCaptureService>
</requestMessage>
```

A

Codes for Units of Measurement

The following table lists the codes for units of measurement used in international trade.

Table 18 Codes for Units of Measurement

| Value | Description |
|-------|---|
| EA | Unknown unit of measure |
| ACR | Acre (4840 yd ²) |
| AMH | Ampere-hour (3.6 kC) |
| AMP | Ampere |
| ANN | Year |
| APZ | Ounce GB, US (31.10348 g) (tr oz.) |
| ARE | Are (100 m ²) |
| ASM | Alcoholic strength mass |
| ASV | Alcoholic strength by volume |
| ATM | Standard atmosphere (101325 Pa) |
| ATT | Technical atmosphere (98066.5 Pa) |
| BAR | Bar |
| BFT | Board foot |
| BG | Unknown unit of measure |
| BHP | Brake horsepower (745.7 W) |
| BHX | Hundred boxes |
| BIL | Billion Eur (trillion US) |
| BLD | Dry barrel (115.627 dm ³) |
| BLL | Barrel |
| BQL | Becquerel |
| BTU | British thermal unit (1.055 Kilojoules) |
| BUA | Bushel (35.2391 dm ³) |
| BUI | Bushel (36.36874 dm ³) |
| ВХ | Unknown unit of measure |
| С | Unknown unit of measure |
| CA | Unknown unit of measure |
| • | |

Table 18 Codes for Units of Measurement (Continued)

| Value | Description |
|-------|--|
| CCT | Carrying capacity in metric tons |
| CD | Unknown unit of measure |
| CDL | Candela |
| CEL | Celsius degrees |
| CEN | Hundred |
| CGM | Centigram |
| CKG | Coulomb per kg |
| CLF | Hundred leaves |
| CLT | Centiliter |
| CMK | Square centimeter |
| CMT | Centimeter |
| CNP | Hundred packs |
| CNT | Cental GB (45.359237 kg) |
| COU | Coulomb |
| CS | Unknown unit of measure |
| CTM | Metric carat (200 Mg = 2.10-4 kg) |
| CUR | Curie |
| CWA | Hundredweight US (45.3592 kg) |
| D | Unknown unit of measure |
| DAA | Decare |
| DAD | Ten days |
| DAY | Day |
| DEC | Decade (10 years) |
| DLT | Deciliter |
| DMK | Square decimeter |
| DMQ | Cubic decimeter |
| DMT | Decimeter |
| DPC | Dozen pieces |
| DPT | Displacement tonnage |
| DRA | Dram US (3.887935 g) |
| DRI | Dram GB (1.771745 g) |
| DRL | Dozen rolls |
| DRM | Drachm gm (3.887935 g) |
| DTH | Hectokilogram |
| DTN | Centner / Quintal, metric (100 kg) (decitonne) |
| | |

Table 18 Codes for Units of Measurement (Continued)

| Value | Description |
|-------|--|
| DWT | Pennyweight GB, US (1.555174 g) |
| DZ | Unknown unit of measure |
| DZN | Dozen |
| DZP | Dozen packs |
| DZR | Dozen pairs |
| EA | Unknown unit of measure |
| EAC | Each |
| FAH | Fahrenheit degrees |
| FAR | Farad |
| FOT | Foot (.3048 m) |
| FT | Unknown unit of measure |
| FTK | Square foot |
| FTQ | Cubic foot |
| G | Unknown unit of measure |
| GAL | Unknown unit of measure |
| GBQ | Gigabequerel |
| GFI | Gram of fissile isotopes |
| GGR | Great gross (12 gross) |
| GIA | Gill (11.8294 cm ³) |
| GII | Gill (0.142065 dm ³) |
| GLD | Dry gallon (4.404884 dm ³) |
| GLI | Gallon (4.546092 dm ³) |
| GLL | Liquid gallon (3.78541 dm ³) |
| GRM | Gram |
| GRN | Grain GB, US (64.798910 mg) |
| GRO | Gross |
| GRT | Gross (Register) ton |
| GWH | Gigawatt-hour (1 Million kWh |
| HAR | Hectare |
| HBA | Hectobar |
| HGM | Hectogram |
| HIU | Hundred international units |
| HLT | Hectoliter |
| HMQ | Million cubic meters |
| HMT | Hectometer |
| | |

Table 18 Codes for Units of Measurement (Continued)

| Value | Description |
|-------|---|
| HPA | Hectoliter of pure alcohol |
| HTZ | Hertz |
| HUR | Hour |
| INH | Inch (25.4 mm) |
| INK | Square inch |
| INQ | Cubic inch |
| ITM | Item |
| JOU | Joule |
| KBA | Kilobar |
| KEL | Kelvin |
| KGM | Kilogram |
| KGS | Kilogram per second |
| KHZ | Kilohertz |
| KJO | Kilojoule |
| KMH | Kilometer per hour |
| KMK | Square kilometer |
| KMQ | Kilogram per cubic meter |
| KMT | Kilometer |
| KNI | Kilogram of nitrogen |
| KNS | Kilogram of named substance |
| KNT | Knot (1 nautical mile per hour) |
| KPA | Kilopascal |
| KPH | Kilogram of caustic potash (kilogram of potassium hydroxide) |
| KPO | Kilogram of potassium oxide |
| KPP | Kilogram of phosphoric anhydride (kilogram of phosphoric pentoxide) |
| KSD | Kilogram of substance 90% dry |
| KSH | Kilogram of caustic soda |
| KTN | Kilotonne |
| KUR | Kilogram of uranium |
| KVA | Kilovolt-ampere |
| KVR | Kilovar |
| KVT | Kilovolt |
| KWH | Kilowatt-hour |
| | |

Table 18 Codes for Units of Measurement (Continued)

| Value | Description |
|-------|--|
| KWT | Kilowatt |
| LBR | Pound GB, US (0.45359237 kg) |
| LBS | Unknown unit of measure |
| LBT | Troy pound, US (373.242 g) |
| LEF | Leaf |
| LPA | Liter of pure alcohol |
| LTN | Long ton GB, US (1.0160469 T) |
| LTR | Liter (1 dm ³) |
| LUM | Lumen |
| LUX | Lux |
| MAL | Megaliter |
| MAM | Megameter |
| MAW | Megawatt |
| MBE | Thousand standard brick equivalent |
| MBF | Thousand board-feet (2.36 m ³) |
| MBR | Millibar |
| MCU | Millicurie |
| MGM | Milligram |
| MHZ | Megahertz |
| MIK | Square mile |
| MIL | Thousand |
| MIN | Minute |
| MIO | Million |
| MIU | Million international units |
| MLD | Billion US (milliard) |
| MLT | Milliliter |
| MMK | Square millimeter |
| MMQ | Cubic millimeter |
| MMT | Millimeter |
| MON | Month |
| MPA | Megapascal |
| MQH | Cubic meter per hour |
| MQS | Cubic meter per second |
| MSK | Meter per second squared |
| MTK | Square meter |
| · | |

Table 18 Codes for Units of Measurement (Continued)

| Value | Description |
|-------|--|
| MTQ | Cubic meter |
| MTR | Meter |
| MTS | Meter per second |
| MVA | Megavolt-ampere (1000 kva) |
| MWH | Megawatt-hour (1000 kWh) |
| NAR | Number of articles |
| NBB | Number of bobbins |
| NCL | Number of cells |
| NEW | Newton |
| NIU | Number of international units |
| NMB | Number |
| NMI | Nautical mile (1852 m) |
| NMP | Number of packs |
| NMR | Number of pairs |
| NPL | Number of parcels |
| NPT | Number of parts |
| NRL | Number of rolls |
| NTT | Net (register) ton |
| ОНМ | Ohm |
| ONZ | Ounce GB, US (28.349523 g) |
| OZA | Fluid ounce (29.5735 cm ³) |
| OZI | Fluid ounce (28.413 cm ³) |
| PAL | Pascal |
| PCB | Piece |
| PCE | Unknown unit of measure |
| PER | Unknown unit of measure |
| PGL | Proof gallon |
| PK | Unknown unit of measure |
| PTD | Dry pint (0.55061 dm ³) |
| PTI | Pint (0.568262 dm ³) |
| PTL | Liquid pint (0.473176 dm ³) |
| QAN | Quarter (of a year) |
| QTD | Dry quart (1.101221 dm ³) |
| QTI | Quart (1.136523 dm ³) |
| QTL | Liquid quart (0.946353 dm ³) |
| | |

Table 18 Codes for Units of Measurement (Continued)

| Value | Description |
|-------|--|
| QTR | Quarter, GB (12.700586 kg) |
| RL | Unknown unit of measure |
| RM | Unknown unit of measure |
| RPM | Revolution per minute |
| RPS | Revolution per second |
| SAN | Half year (6 months) |
| SCO | Score |
| SCR | Scruple GB, US (1.295982 g) |
| SEC | Second |
| SET | Set |
| SHT | Shipping ton |
| SIE | Siemens |
| SMI | (Statute) mile (1609.344 m) |
| SST | Short Standard (7200 matches) |
| ST | Unknown unit of measure |
| STI | Stone GB (6.350293 kg) |
| STN | Short ton GB, US (0.90718474 T) |
| TAH | Thousand ampere-hour |
| TNE | Metric ton (1000 kg) (tonne (1000 kg)) |
| TPR | Ten pairs |
| TQD | Thousand cubic meters per day |
| TRL | Trillion EUR |
| TSD | Tonne of substance 90% dry |
| TSH | Ton of steam per hour |
| VLT | Volt |
| WCD | Cord (3.63 m ³) |
| WEB | Weber |
| WEE | Week |
| WHR | Watt-hour |
| WSD | Standard |
| WTT | Watt |
| YDK | Square yard |
| YDQ | Cubic yard |
| YRD | Yard (0.9144 m) |
| | |

APPEN

The following table lists the values you can use for the product code in the **item_#_ productCode** request field.

Table 19 Product Codes

| Product Code | Definition |
|-----------------------|---|
| adult_content | Adult content. |
| coupon | Coupon applied to the entire order. |
| default | Default value for the product code. CyberSource uses default when a request message does not include a value for the product code. |
| electronic_good | Electronic product other than software. |
| electronic_software | Software distributed electronically rather than on disks or other media. |
| gift_certificate | Gift certificate. |
| handling_only | Fee that you charge your customer to cover your administrative selling costs. |
| service | Service that you perform for your customer. |
| shipping_and_handling | The shipping portion is the charge for shipping the product to your customer. The handling portion is the fee you charge your customer to cover your administrative selling costs. |
| shipping_only | Charge for transporting tangible personal property from your location to your customer. You must maintain documentation that clearly establishes the location where the title to the property passed from you to your customer. |
| subscription | Subscription to a web site or other content. |